

Fea Contractor HSE Management System Guidelines

Fea Contractor General Health And Safety Checklist

Document No. HSE41C06

		Con	tract Details			
Contractor name:						
Contractor address:						
Contractor representative:						
Fea Contract Manager:	Joji Tawal	ke				
Contract description:	Supply to	Qiolevu Road	, Sawani			
Location of works:	Sawani					
Timing of works (approxima	ate):	Start date:	24/07/17	End date:	01/01/18	

Instructions

This document is to be submitted as part of the HSE tender specification to potential bidders. They are <u>ONLY</u> to be submitted back to Fea upon request

Document No:HSE41C03 Rev.2	Custodian: Unit Leader HSE	Page 1 of 5
Created: July 2007	Last Review: July 2009	Next Review: July 2010



Contractor General Health and Safety Checklist

General Health and Safety Checklist			
Contract Name:			
Contract Description:			
·			
Contractor:			
Worksite Location:	Date:		
voltoto Locatori			
Persons Completing inspection:			
reisons completing inspection			
Indicate in the fellowing proper			
Indicate in the following manner.	Niet Assentaleis	NVA NISE ASSESSE	Lla
Acceptable	Not Acceptable	NA Not Applica	bie
1. Health and Safety Systems			
1.1 OH&S policy displayed			
1.2 Accident report book			
1.3 Induction records			
1.4 Workplace inspection records1.5 Emergency procedures			
1.6 Training records			
1.7 Documented safe work procedures			
1.8 MSDS Available			
1.9 Health & Safety system manual			
1.10 H&S representative appointed			
1.11 Management safety representative appoir	nted		
1.12 Contract risk assessment available			
1.13 Contract health and safety plan available			
2. Housekeeping			
2.1 Work areas free from rubbish and obstruction	n		
2.2 Surfaces safe and sutiable			
2.3 Free from slip/trip hazard			
2.4 Floor openings covered 2.5 Stock/material stored safely			
AISLES			
2.6 Unobstructed and clearly defined			
2.7 Adequate lighting			
2.8 Vision at corners			
2.9 Wide enough			
3. Electrical			
3.1 No broken pugs, sockets, switches			
3.2 No frayed or defective leads			
3.3 Power tools in good condition			
3.4 No work exposed near live electrical equipm	ent		
3.5 Tools and leads inspected and tagged.			
3.6 No strained leads			
3.7 No cable trip hazards 3.8 Switches/circuits defined			
3.9 Lock-out procedures in place			
3.10 Earth leakage system used			
3.11 Start/Stop switches clearly defined			
3.12 Switchboard secured			
3.13 Appropriate fire fighting equipment			
4 Mobile Plant & Equipment			
4.1 Plant and equipment in good condition			

Document No:HSE41C03 Rev.2	Custodian: Unit Leader HSE	Page 2 of 5
Created: July 2007	Last Review: July 2009	Next Review: July 2010



4.2 Daily safety inspection procedure/checklists	
4.3 Fault reporting/rectification system used	
4.4 Operators trained and licensed	
4.5 Warnings and instructions displayed	
4.6 Warning lights operational	
4.7 Reversing alarm operational	
4.8 Satisfactory operating practices	
4.9 Fire extinguisher	
4.10 Tyres satisfactory	
4.11 SWL of lifting or carrying equipment displayed	
4.12 Safe transportation system of mobile plant	
5. Machinery and Workbenches	
5.1 Adequate workspace	
5.2 Clean and tidy	
5.3 Free from excess oil and grease	
5.4 Adequately guarded	
5.5 warnings or instructions displayed	
5.6 Emergency stop appropriately placed and clearly identifiable	
5.7 Operated safely and correctly	
WORKBENCHES	
5.8 Clear of rubbish	
5.9 Tools in proper place 6. Hazardous Substance	
6.1 Stored appropriately	
6.2 Containers labelled correctly	
6.3 Adequate ventilation/exhaust system	
6.4 Protective dothing/equipment available/used	
6.5 Personal hygiene – dermatitis control	
6.6 Waste disposal procedure	
6.7 Material Safety Data Sheet provided	
6.8 Chemical handling procedures followed	
6.9 Chemical register developed	
6.10 Appropriate emergency/first-aid equipment – shower, eye bath, extinguishers	
6.11 Hazchem signing displayed	
7. Welding	
7.1 Gas bottles secured to trolley	
7.2 Welding furnes well ventilated	
7.3 Fire extinguisher near work area	
7.4 Only flint gun used to light torch	
7.5 Flash back spark arrestors fitted	
7.C.\ foign agreems upped for all offrications	
7.6 Vision screens used for electric welding	
7.6 Vision screens used for electric weading 7.7 LPG bottles within 10 years stamp	
7.7 LPG bottles within 10 years stamp	
7.7 LPG bottles within 10 years stamp 7.8 PPE provided and worn	
7.7 LPG bottles within 10 years stamp 7.8 PPE provided and worn 7.9 Hot Work permit system used. 8. Excavations	
7.7 LPG bottles within 10 years stamp 7.8 PPE provided and worn 7.9 Hot Work permit system used. 8. Excavations 8.1 Shoring in place and in sound condition	
7.7 LPG bottles within 10 years stamp 7.8 PPE provided and worn 7.9 Hot Work permit system used. 8. Excavations 8.1 Shoring in place and in sound condition 8.2 Excavation well secured	
7.7 LPG bottles within 10 years stamp 7.8 PPE provided and wom 7.9 Hot Work permit system used. 8. Excavations 8.1 Shoring in place and in sound condition 8.2 Excavation well secured 8.3 Signage displayed	
7.7 LPG bottles within 10 years stamp 7.8 PPE provided and wom 7.9 Hot Work permit system used. 8. Excavations 8.1 Shoring in place and in sound condition 8.2 Excavation well secured 8.3 Signage displayed 8.4 Clear and safe access around excavation	
7.7 LPG bottles within 10 years stamp 7.8 PPE provided and wom 7.9 Hot Work permit system used. 8. Excavations 8.1 Shoring in place and in sound condition 8.2 Excavation well secured 8.3 Signage displayed 8.4 Clear and safe access around excavation 8.5 Separate access and egress points from excavation	
7.7 LPG bottles within 10 years stamp 7.8 PPE provided and wom 7.9 Hot Work permit system used. 8. Excavations 8.1 Shoring in place and in sound condition 8.2 Excavation well secured 8.3 Signage displayed 8.4 Clear and safe access around excavation 8.5 Separate access and egress points from excavation 8.6 Safe work procedures in place	
7.7 LPG bottles within 10 years stamp 7.8 PPE provided and wom 7.9 Hot Work permit system used. 8. Excavations 8.1 Shoring in place and in sound condition 8.2 Excavation well secured 8.3 Signage displayed 8.4 Clear and safe access around excavation 8.5 Separate access and egress points from excavation 8.6 Safe work procedures in place 9. Prevention of falls	
7.7 LPG bottles within 10 years stamp 7.8 PPE provided and worn 7.9 Hot Work permit system used. 8. Excavations 8.1 Shoring in place and in sound condition 8.2 Excavation well secured 8.3 Signage displayed 8.4 Clear and safe access around excavation 8.5 Separate access and egress points from excavation 8.6 Safe work procedures in place 9. Prevention of falls 9.1 All work platforms have secure handrails, guarding or fence panels	
7.7 LPG bottles within 10 years stamp 7.8 PPE provided and worn 7.9 Hot Work permit system used. 8. Excavations 8.1 Shoring in place and in sound condition 8.2 Excavation well secured 8.3 Signage displayed 8.4 Clear and safe access around excavation 8.5 Separate access and egress points from excavation 8.6 Safe work procedures in place 9. Prevention of falls 9.1 All work platforms have secure handrails, guarding or fence panels 9.2 Harness and lanyards or belts provided	
7.7 LPG bottles within 10 years stamp 7.8 PPE provided and worn 7.9 Hot Work permit system used. 8. Excavations 8.1 Shoring in place and in sound condition 8.2 Excavation well secured 8.3 Signage displayed 8.4 Clear and safe access around excavation 8.5 Separate access and egress points from excavation 8.6 Safe work procedures in place 9. Prevention of falls 9.1 All work platforms have secure handrails, guarding or fence panels 9.2 Harness and lanyards or belts provided 9.3 All floor penetrations covered or barricaded	
7.7 LPG bottles within 10 years stamp 7.8 PPE provided and worn 7.9 Hot Work permit system used. 8. Excavations 8.1 Shoring in place and in sound condition 8.2 Excavation well secured 8.3 Signage displayed 8.4 Clear and safe access around excavation 8.5 Separate access and egress points from excavation 8.6 Safe work procedures in place 9. Prevention of falls 9.1 All work platforms have secure handrails, guarding or fence panels 9.2 Harness and lanyards or belts provided	
7.7 LPG bottles within 10 years stamp 7.8 PPE provided and worn 7.9 Hot Work permit system used. 8. Excavations 8.1 Shoring in place and in sound condition 8.2 Excavation well secured 8.3 Signage displayed 8.4 Clear and safe access around excavation 8.5 Separate access and egress points from excavation 8.6 Safe work procedures in place 9. Prevention of falls 9.1 All work platforms have secure handrails, guarding or fence panels 9.2 Harness and lanyards or belts provided 9.3 All floor penetrations covered or barricaded	
7.7 LPG bottles within 10 years stamp 7.8 PPE provided and worn 7.9 Hot Work permit system used. 8. Excavations 8.1 Shoring in place and in sound condition 8.2 Excavation well secured 8.3 Signage displayed 8.4 Clear and safe access around excavation 8.5 Separate access and egress points from excavation 8.6 Safe work procedures in place 9. Prevention of falls 9.1 All work platforms have secure handrails, guarding or fence panels 9.2 Harness and lanyards or belts provided 9.3 All floor penetrations covered or barricaded 9.4 Unsafe areas signposted and fenced	
7.7 LPG bottles within 10 years stamp 7.8 PPE provided and wom 7.9 Hot Work permit system used. 8. Excavations 8.1 Shoring in place and in sound condition 8.2 Excavation well secured 8.3 Signage displayed 8.4 Clear and safe access around excavation 8.5 Separate access and egress points from excavation 8.6 Safe work procedures in place 9. Prevention of falls 9.1 All work platforms have secure handrails, guarding or fence panels 9.2 Hamness and lanyards or belts provided 9.3 All floor penetrations covered or barricaded 9.4 Unsafe areas signposted and fenced 9.5 Safe work procedure in place	

Document No:HSE41C03 Rev.2	Custodian: Unit Leader HSE	Page 3 of 5
Created: July 2007	Last Review: July 2009	Next Review: July 2010



rea	
10.2 Handrails in good repair	
10.3 Clear of obstructions	
10.4 Adequate lighting	
10.5 Emergency lighting	
10.6 Non-slip treatment/treads in good condition	
10.7 Clear of debris and spills	
10.8 Used correctly	
11. Ladders	
11.1 Ladders in good condition	
11.2 Ladders not used to support planks for working platforms	
11.3 Correct angle to structure 1:4	
11.4 Extended 1m above top landing	
11.5 Straight or extension ladders securely fixed at top	
11.6 Metal ladders not used near live exposed electrical equipment	
12. Personal Protection	
12.1 Employee provided with PPE	
12.2 PPE being worn by employee	
12.3 Sun protection provided (cream/glasses)	
12.4 Correct signage at access points	
13. Manual Handling	
13.1 Wechanical aids provided and used	
13.2 Safe work procedures in place	
13.3 Manual handling risk assessment performed	
13.4 Manual handling controls implemented	
14. Workplace Ergonomics	
14.1 Workstation and seating design acceptable	
14.2 Ergonomic factors considered in work layout and task designs	
14.3 Use of excessive force and repetitive movement minimised	
14.4 Appropriate training provided	
15 Material Storage	
15.1 Stacks stable	
15.2 Heights correct	
15.3 Sufficient space for moving stock	
15.4 Materials stored in racks/bins	
15.5 Shelves free of rubbish	
15.6 Floors around stacks and racks clear	
15.7 Drums checked	
15.8 Pallets in good repair	
15.9 Heavier items stored low	
15.10 No danger of falling object	
15.11 No sharp edges	
15.12 Safe means of accessing high shelves	
15.13 Racks clear of lights/sprinklers	
16. Confined Spaces	
16.1 Risk assessment undertaken	
16.2 Communication and rescue place in action	
16.3 Safety equipment in good working condition	
16.4 Suitable training provided to employees	
16.5 Confined space entry permit used	
17. Lasers	
17.1 Operator has laser operator licence	
17.2 Signage displayed	
17.3 Laser not used in a manner to endanger other persons	
18 Demolition	
18.1 Risk assessment undertaken in advance	
18.2 Access prevented to demolition area	
18.3 Overhead protection in place	
18.4 Protection of general public	
18.5 Safe work procedures	
Document No:HSE41C03 Rev.2 Custodian: Unit Leader HSE	Page 4 of 5

Document No:HSE41C03 Rev.2	Custodian: Unit Leader HSE	Page 4 of 5
Created: July 2007	Last Review: July 2009	Next Review: July 2010



TEG	
19. Public Protection	
19.1 Appropriate barricades, fencing, boarding, in place	
19.2 Signage in place	
19.3 Suitable lighting for public access	
19.4 Footpath clean and free from debris	
19.5 Dust and noise controls in workplace	
19.6 Site access controlled	
19.7 Traffic control procedures place	
19.8 Public complaints actioned.	
20. Amenities	
20.1 Washrooms clean	
20.2 Toilet dean	
20.3 Lockers dean	
20.4 Meal rooms clean and tidy	
20.5 Rubbish bins available - covered	
21. First Aid	
21.1 Cabinets and contents clean and orderly	
21.2 Stocks meet requirements	
21.3 First aiders names displayed	
21.4 First aiders location and phone numbers	
21.5 Qualified first aiders	
21.6 Record of treatment and of supplies dispensed	
22 Lighting	
22.1 Adequate and free from glare	
22.2 Lighting dean and efficient	
22.3 Windows clean	
22.4 No flickering or inoperable lights	
22.5 Emergency lighting system	
23 Fire Control	
23.1 Extinguishers in place	
23.2 Fire fighting equipment serviced/tagged	
23.3 Appropriate signing of extinguishers	
23.4 Extinguishers appropriate to hazard	
23.5 Emergency exit signage	
23.6 Exit doors easily opened from outside	
23.7 Exit pathways clear of obstruction	
23.8 Alarm/communication systems adequate	
23.9 Smoking/naked flame restriction observed	
23.10 Minimum quantities of flammable at worksite	
23.11 Flammable storage procedures	
23.12 Emergency personnel identified and trained	
23.13 Emergency procedures documented - issued	
23.14 Emergency telephone numbers displayed	
23.15 Alarms tested	
23.16 Trial evacuation conducted	
23.17 Personnel trained in use of fire fighting equipment	
20.17 1 Growth & California in Case of the hydrid like	

Document No:HSE41C03 Rev.2	Custodian: Unit Leader HSE	Page 5 of 5
Created: July 2007	Last Review: July 2009	Next Review: July 2010