

Energy Fiji Limited



Tender Document

Tender No. : MR 25/2022

Refurbishment and lifting of 2 x T55 Fuel
Storage Tanks at EFL's Sigatoka Power Station

Table of Content

1.0	<u>INVITATION FOR TENDERS</u>	4
2.0	<u>INSTRUCTION TO BIDDERS</u>	5
2.1	ELIGIBLE BIDDERS	5
2.2	ELIGIBLE MATERIALS, EQUIPMENT AND SERVICES	5
2.3	ONE BID PER BIDDER	5
2.4	COST OF BIDDING	5
2.5	SITE VISITS	5
2.6	CONTENTS OF THE BIDDING DOCUMENTS	6
2.7	CLARIFICATION OF BIDDING DOCUMENTS	6
2.8	AMENDMENT OF BIDDING DOCUMENT	6
2.9	LANGUAGE OF BID	6
2.10	BID PRICES	6
2.11	BID CURRENCIES	7
2.12	BID VALIDITY	7
2.13	FORMAT AND SIGNING OF BIDS	7
2.14	SEALING AND MARKING OF BIDS	7
2.14.1	DUE TO THE COVID19 RESTRICTIONS ON MOVEMENTS, BIDDERS ARE ENCOURAGED TO BID VIA TENDERLINK PORTAL.	7
2.15	DEADLINE FOR SUBMISSION OF BIDS	7
2.16	LATE BIDS	7
2.17	MODIFICATION AND WITHDRAWAL OF BIDS	8
2.18	REJECTION OF ONE OR ALL BIDS	8
2.19	PROCESS TO BE CONFIDENTIAL	8
2.20	CLARIFICATION OF BIDS	8
2.21	PRELIMINARY EXAMINATION	8
3.0	<u>TECHNICAL SPECIFICATION</u>	10
3.1	GENERAL INFORMATION	10
3.1.1	PRELIMINARY AND GENERAL CONDITIONS	10
3.1.2	SITE LOCATION	10
3.1.3	OHS REQUIREMENTS	10
3.1.4	BUILDING CONDITIONS	10
3.1.5	WORK PLAN	10
3.1.6	SITE SAFETY MANAGEMENT SYSTEM	10
3.1.7	ENVIRONMENTAL CONTROL	10
3.1.8	PROTECTION OF PEOPLE AND PROPERTY	10
3.1.9	DURATION OF WORK	11
3.1.10	STORAGE OF MATERIALS AND EQUIPMENT'S	11
3.1.11	DAILY DIARY REPORTS	11
3.1.12	CARE OF THE WORKS	11
3.1.13	CLEARING AWAY	11
3.1.14	TOBACCO/ALCOHOL/DRUG FREE ENVIRONMENT	11

3.2	INSURANCES	11
3.3	COMPULSORY TENDER SUBMISSIONS	11
3.4	GOVERNING CODE/ STANDARDS	12
3.5	PAINT SPECIFICATION	12
4.0	<u>SCOPE OF WORKS</u>	<u>13</u>
4.1	FUEL TANK	13
4.2	TANK INTERNAL WORK	13
4.3	TANK SHELL WORK	13
4.4	LIFTING OF TANK SUPPORT STRUCTURE	13
4.5	SUPPLY AND DISCHARGE FUEL LINE	13
4.6	TANK STAIRS AND LADDER	13
4.7	REQUIREMENTS FOR STAIRWAY	14
4.8	REQUIREMENTS FOR PLATFORMS	14
4.9	OTHERS	15
5.0	<u>SITE PHOTOS</u>	<u>16</u>
6.0	<u>PRICE SCHEDULE</u>	<u>20</u>
6.1	COMPLIANCE CHECKLIST DECLARATION	22
6.2		23
7.0	<u>TENDER FORM</u>	<u>24</u>
8.0	<u>SUBMISSION TO TENDER</u>	<u>25</u>

1.0 INVITATION FOR TENDERS

Energy Fiji Limited is inviting bids for refurbishment of two T55 Fuel Storage Tank at Sigatoka Power Station. The Detailed scope of works listed in the following pages.

Interested bidders may obtain Tender Document at the:

Supply Chain Office
Energy Fiji Limited
Head Office
2 Marlow Street, Suva
Contact: 322 4360/ 9992400

All tenders shall submit all documents required including spares pricing as per price template.

During evaluation of tenders, EFL will invite a tenderer or tenderers for discussions, presentations, and necessary clarification before awarding of the contract

The tender submissions close on the 2/03/22

2.0 INSTRUCTION TO BIDDERS

2.1 Eligible Bidders

- 2.1.1. This invitation is open to all Bidders who have sound financial background, and have previous experience tank refurbishment works.
- 2.1.2. Bidders shall provide such evidence of their continued eligibility satisfactory to EFL.
- 2.1.3. Bidders shall not be under a declaration of ineligibility for corrupt or fraudulent practice.

2.2 Eligible Materials, Equipment and Services

- 2.2.1. The materials, equipment, and services to be supplied under the Contract shall have their origin from reputable companies as specified by EFL and from various countries and all expenditures made under the Contract will be limited to such materials, equipment, and services. Upon request, bidders may be required to provide evidence of the origin of materials, equipment, and services.
- 2.2.2. For purposes of this Contract, "services" means the works and all project-related services including design services.
- 2.2.3. For purposes of this Contract, "origin" means the place where the materials and equipment are mined, grown, produced or manufactured, and from which the services are provided. Materials and equipment are produced when, through manufacturing, processing or substantial or major assembling of components, a commercial recognized product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 2.2.4. The materials, equipment, and services to be supplied under the Contract shall not infringe or violate any industrial property or intellectual property rights or claim of any third party.

2.3 One bid per Bidder

- 2.3.1. Each bidder shall submit only one bid. A bidder who submits or participates in more than one bid will cause all those bids to be rejected.

2.4 Cost of Bidding

- 2.4.1. The bidder shall bear all costs associated with the preparation and submission of its bid and EFL will in no case be responsible or liable for those costs.

2.5 Site Visits

- 2.5.1. As per advertised date

2.6 Contents of the Bidding Documents

- 2.6.1. The bidder is expected to carefully examine the contents of this Bidding document. Failure to comply with the requirements of bid submission will be at the bidder's own risk. Bids which are not substantially responsive to the requirements of the bidding documents will be rejected.
- 2.6.2. The following are the mandatory submission of a successful tender bid;
- Pricing Schedule
 - Program of Works
 - Company Profile (Max 2 pages in standard A4)
 - Work History - Project/ Work done with referee, EFL work history.
 - Company background
 - Bidder available resources e.g. Manpower, Machines & Equipment.
 - OHS Policies or Plan
 - Fiji Revenue & Customs Service (FRCA) compliance
 - Fiji National Provident Fund (FNPF) compliance
 - Signed checklist declaration (Appendix 5.1)

Failure to submit required documents may affect bid compliance even make it non-compliance.

2.7 Clarification of Bidding Documents

- 2.7.1. A prospective bidder requiring any clarification of the bidding documents may notify EFL in writing by email addressed to:
- Jitendra Reddy
Manager Procurement, Inventory & Supply Chain
2 Marlow Street,
Suva, Fiji
Phone: +679 3224 360/9992400
Email: tenders@efl.com.fj
- 2.7.2. EFL will respond to any request for clarification which it receives earlier than 5 days prior to the deadline for submission of bids.

2.8 Amendment of Bidding Document

- 2.8.1. At any time prior to the deadline for submission of bids, EFL may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective bidder, modify the bidding documents by issuing addenda.

2.9 Language of Bid

- 2.9.1. The bid, and all correspondence and documents related to the bid, exchanged between the bidder and the EFL shall be written in the English language.

2.10 Bid Prices

- 2.10.1. Unless specified otherwise, Bidders shall quote for the entire facilities on a "single responsibility" basis such that the total bid price covers all the Supplier's obligations mentioned

in or to be reasonably inferred from the bidding documents in respect of the design, manufacture, including procurement and subcontracting (if any), testing and delivery.

- 2.10.2. Bidders shall give a breakdown of the prices in the manner and detail called for in this bidding document, or any issued addenda.
- 2.10.3. For Oversea Suppliers, bids shall be given on Cost Insurance Freight (CIF) or Delivery at Place (DAP) basis. The point of delivery shall be Suva/Lautoka port for Sea or Nadi Airport for Air. The term CIF & DAP shall be governed by the rules prescribed in the current edition of Incoterms (i.e. the eighth version - Incoterms 2010), published by the International Chamber of Commerce, Paris. Stated Otherwise with validation. *(not applicable)*

2.11 Bid Currencies

- 2.11.1. Prices shall be quoted in a single currency only.

2.12 Bid Validity

- 2.12.1. Bids shall remain valid for a period of 60 days from the date of Deadline for Submission of Bids specified in Sub-Clause 2.15.

2.13 Format and Signing of Bids

- 2.13.1. The bidder shall provide one electronic copy of the Technical and Financial proposals on EFL's electronic tender hosting website: <https://www.tenderlink.com/efl>
- 2.13.2. The bid shall contain no alterations, omissions, or additions, except those to comply with instructions issued by EFL, or as necessary to correct errors made by the bidder, in which case such corrections shall be initialled by the person or persons signing the bid.

2.14 Sealing and Marking of Bids

- 2.14.1 Due to the Covid19 restrictions on movements, bidders are encouraged to bid via Tenderlink Portal.

2.15 Deadline for Submission of Bids

- 2.15.1. Bids must be received by EFL at the address specified above no later than 1600 hours (Fiji Time) 2/03/22.
- 2.15.2. EFL may, at its discretion, extend the deadline for submission of bids by issuing an addendum, in which case all rights and obligations of EFL and the bidders previously subject to the original deadline will thereafter be subject to the deadlines extended.

2.16 Late Bids

- 2.16.1. Any bid received by EFL after the deadline for submission of bids prescribed above will be rejected and returned unopened to the bidder.

2.17 Modification and Withdrawal of Bids

- 2.17.1. The bidder may modify or withdraw its bid after bid submission, provided that written notice of the modification or withdrawal is received by EFL prior to the deadline for submission of bids.
- 2.17.2. No bid may be modified by the bidder after the deadline for submission of bids.

2.18 Rejection of one or all Bids

- 2.18.1. EFL reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids, at any time prior to award of Contract, without thereby incurring any liability to the affected bidder or bidders or any obligation to inform the affected bidder or bidders of the grounds for the rejection.

2.19 Process to be Confidential

- 2.19.1. Information relating to the examination, clarification, evaluation and comparison of bids and recommendations for the award of a contract shall not be disclosed to bidders or any other persons not officially concerned with such process.
- 2.19.2. Any effort by a bidder to influence EFL's processing of bids or award decisions may result in the rejection of the bidder's bid.
- 2.19.3. Lowest bid will not necessarily be accepted as successful bid.

2.20 Clarification of Bids

- 2.20.1. To assist in the examination, evaluation, and comparison of bids, EFL may, at its discretion, ask any bidder for clarification of its bid. The request for clarification and the response shall be in writing via email, but no change in the price or substance of the bid shall be sought, offered, or permitted except as required to confirm the correction of arithmetic errors discovered by EFL in the evaluation of the bids.

2.21 Preliminary Examination

- 2.21.1. Energy Fiji Limited will examine the tenders to determine whether they are complete, whether any computational errors have been made, whether the documents have been properly signed, and whether the tenders are generally in order.
- 2.21.2. Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If the tenderer does not accept the correction of the errors, its tender will be rejected. If there is a discrepancy between words and figures, the amount in words will prevail.
- 2.21.3. Energy Fiji Limited may waive any minor informality or non-conformity or irregularity in a tender which does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of any tenderer.
- 2.21.4. Prior to the detailed evaluation, pursuant to Clause 21, Energy Fiji Limited will determine the substantial responsiveness of each tender to the tender document. For purposes of these paragraphs, a substantially responsive tender is one, which conforms to all the terms and

conditions of the tender document without material deviation Energy Fiji Limited's determination of a tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.

- 2.21.5. If a tender is not substantially responsive, it will be rejected by Energy Fiji Limited and may not subsequently be made responsive by the tenderer by correction of the nonconformity.

3.0 TECHNICAL SPECIFICATION

3.1 General Information

3.1.1 Preliminary and General Conditions

The contractor shall furnish all labour, equipment, transportation and services as necessary to complete all projected work included in this specifications.

3.1.2 Site Location

EFL Sigatoka Power Station

3.1.3 OHS Requirements

The contractor shall at times comply with all Energy Fiji Limited's HSE Regulations currently in force.

3.1.4 Building Conditions

The contractor is advised to visit and assess the site and existing premises prior to tendering, as no claim will be allowed on the grounds of ignorance of the conditions existing.

3.1.5 Work Plan

The contractor shall prepare a Work Programme, Work Safety Plan/Risk Assessment Plan in accordance and shall submit the plan to the property officer for his approval before commencing with work on the site.

3.1.6 Site Safety Management System

The contractor shall establish and maintain a Site Safety Management that ensures the safety of all persons on the site in accordance with the requirements of the Energy Fiji Limited Occupational Health and Safety Policy and the Health and Safety at Work Act, 1996 requiring strict compliance by the parties here to. The Contractor is to obtain all approvals from Ministry of Labour for any scaffolding to be used on the site. All PPE's and other safety equipment's will be checked by EFL's Health and Safety Department (HSE) to confirm if they are following the relevant current safety standards. No work shall commence prior to approvals given from EFL's HSE Department.

EFL will carry out an induction for the contractor and its members to familiarize with the Energy Fiji Limited Occupational Health and Safety Policy.

3.1.7 Environmental Control

Comply with all environmental protection provisions in the contract and the requirements of any statute, by law, standard and the like related to environmental protection.

3.1.8 Protection of People and Property

The contractor shall keep all persons (workers) under control and within the boundaries of the site. He will be held responsible for the care of the existing premises and works generally until completion.

3.1.9 Duration of Work

The expected duration for the completion of work shall be Six (6) weeks.

3.1.10 Storage of Materials and Equipment's

Materials and equipment's stored on site must not pose any danger to property and minimize hazards to persons, materials and equipment. Keep storage area neat and tidy.

Take proper precautions to keep poisonous and other injurious substance in place secured against access by unauthorised person.

3.1.11 Daily Diary Reports

Progress reports shall be submitted daily on the forms provided by the property officer.

3.1.12 Care of the Works

The contractor shall keep all persons under control and within the boundaries of the site. He will be held responsible for the care of the existing premises and works generally until completion.

3.1.13 Clearing Away

The contractor shall take the removed rubbish and debris to a location which will be advised in the **site visit**.

3.1.14 Tobacco/Alcohol/Drug Free Environment

EFL maintains tobacco, alcohol and drug free environment. Any personnel of the contractor found violating the policy will be requested to remove the product and themselves from the sites. Offensive language or actions are not acceptable. The EFL shall have the absolute right to require replacement of any employee the EFL deems objectionable to work on EFL premises.

3.2 Insurances

The Contractor shall be solely responsible for all relevant insurance covers for person, tools, plants and equipment involved in carrying out the Works. The Contractor must obtain and maintain all relevant insurance covers at all material times sufficient to cover any loss or costs that may be incurred which the Contractor is liable for in connection with the duration and Scope of Works, including:

- Contractors All Risk
- Public Liability and

3.3 Compulsory Tender Submissions

1. All welders need to be qualified to ASMI 1X 6G positions. Evidence of qualifications to be submitted with the tender submission.
2. Genuine evidence of tank rehabilitation work carried out on tanks with capacities of more than 1000 MT vertical tanks to be provided with tender submissions. Please provide contact details of such tank owners.
3. The Contractor must be fully accredited by any of the Oil Companies in Fiji to carry out such works. i.e., Confined Space Accreditation, working at heights approval, etc.

3.4 Governing Code/ Standards

All tank rehabilitation work to be carried out as per API 653 and including following but not limiting to:

1. AS 1627.1-2003: Metal finishing - Preparation and pre-treatment of surfaces - Removal of oil, grease, and related contamination
2. AS 1627.2-2002 Metal finishing - Preparation and pre-treatment of surfaces - Power tool cleaning
3. AS 1627.4-2005 Metal finishing - Preparation and pre-treatment of surfaces - Abrasive blast cleaning of steel
4. AS 1627.9-2002 Metal finishing - Preparation and pre-treatment of surfaces - Pictorial surface preparation standards for painting steel surfaces

3.5 Paint Specification

1. Each bidder must submit paint specification of paint proposed to supply including the historical performance and successful projects. Specification must indicate that paint had proven success in applying for water pipelines, which will last for a 5-10yrs under extreme environmental conditions. Specification must also include warranty.
 - Product Specification:
 - Intended Uses
 - Practical Information of the product
 - Regulatory Data
 - Surface Preparation
 - Application
 - Product Characteristics
 - Systems Compatibility
 - Safety Precautions
2. Paint Requirement
 - Primer Coat – anti rust
 - 1st Coat
 - 2nd Coat

4.0 SCOPE OF WORKS

4.1 Fuel Tank

1. Empty fuel tank under EFL supervise. Appropriate temporary tanks must be provided; this must be also connected temporary to the fuel system as well.
2. Gas free the tank under regulatory requirement before any work is carried out.
3. Wall thickness test and shell joint integrity to be tested by an approved party and the report to be forwarded EFL.

4.2 Tank Internal Work

1. Tank interior must be cleaned of sludge and surface treated.
2. Repair degraded parts as instructed by EFL after review report.
3. Tank weld joints to be vacuum tested and report to EFL.
4. Shell joint to be tested with die penetration test.

Noted Confine spare work certification and permit system is a mandatory requirement for all works inside the tank.

4.3 Tank Shell Work

1. Entire tank external shell to be grit blasted and painted.
2. All nozzles be to refurbish, or replacement based on site visit.
3. Protection Painting of the external shell, Paint DFT and holiday test report to be provided to EFL.
4. Replace all bolts and nuts for all manholes and nozzles.
5. Replenish all manhole cover and flange gaskets.
6. Fabricate patch and install any damage or degraded parts.
7. Tank sign writing to be carried out as instructed by EFL.

4.4 Lifting of Tank Support Structure

1. Fabricate a modified tank cradle for both to increase the height for both to 8m to 10m. Details with be discussed on site.
2. Expend/ Modify bunding to accommodate the new cradle if it be.
3. This structural need to be certify by the bidder to CAT5.
4. Support structure to be painted white.

4.5 Supply and Discharge Fuel Line

1. All external supply and discharge piping to be refurbished and painted.
2. Section that are beyond repair needs to replacement. This assignment needs to be done by the contractor during the site visit.
3. Fabricate and install (bolted) new pipe supports similar to existing. This assignment needs to be done by the contractor during the site visit.
4. All valves to be serviced.
5. All gaskets, bolts, and nuts to be replaced with new.
6. Supply and discharge line to be painted brown.

4.6 Tank Stairs and Ladder

1. Supply, modify, fabricate, and install new Stairway including gratings and railings from ground level to bund wall platform. Modify Stairway to allow for gratings.

2. Fabricate and install New Platform with new gratings and railings on top of bund wall, details will be discussed on site.
3. Fabricate and install new Ladder, detail will be discussed on site.
 - Carbon steel to be used
 - Treads shall be not less than 100mm wide.
 - The surface of every tread shall be slip –resistant
4. Fabricate and install new Top Platform with new gratings and railings similar to existing design.
5. Tank stairway, Monkey Ladder and Platforms to be fabricated to conform to API standard 650.
6. All new assembly: Tank stairway, Ladder, Platforms, and railings to be painted as per EFL paint specification.
 - Primer Coat – anti rust
 - 1st Coat
 - 2nd Coat – marine paint (yellow)
7. The contractor shall take the removed rubbish and debris to a location which will be advised in the **site visit**.

4.7 Requirements for Stairway

- All parts shall be made of metal.
- The minimum width of the stairs shall be 710mm (28in.).
- The maximum angle of the stairway with a horizontal line shall be 50 degrees.
- The minimum width of the stair treads shall be 200mm (8in.).
- Treads shall be made of gratings.
 - Grating will provide slip-resistant surface.
 - The smaller dimension of any opening shall not exceed 40mm.
 - Any gap between adjacent up sections of grated floor shall not exceed 10mm and maybe of any length.
- Handrails shall be on both sides of the stairs.
- The top railing shall join the platform handrail without offset, and the height measured vertically from tread level at the nose of the tread shall be 760mm to 860mm (30in. to 34in.)
- The maximum distance between railing posts, measured along the slope of the railing, shall be 2400mm (96in.).

4.8 Requirements for Platforms

- All parts shall be made of metal.
- The platform shall be same size as the existing.
- Flooring shall be made of grating.
 - Grating will provide slip-resistant surface.
 - The smaller dimension of any opening shall not exceed 40mm.
 - Any gap between adjacent up sections of grated floor shall not exceed 10mm and maybe of any length.
- The height of the top railing above the floor shall be 1070mm (42 in.)
- The minimum height of the toe board shall be 75mm (3in.)
- The height of the midrail shall be approximately one-half the distance from the top of the platform to the top of the railing.
- The maximum distance between railing posts shall be 2400mm (96in.)

- Handrails shall be on all sides of the platform but shall be discontinued where necessary for access.

1.

4.9 Others

1. Concrete bund cleaning
2. Repair and waterproof concrete bund and testing.
3. Painting of concrete bund.
4. Complete assembly and assist in commissioning works.

5.0 SITE PHOTOS



Figure 1 2 x T55 - Overview



Figure 2 Tank 1 – Top View



Figure 3 Tank 2 – Top View



Figure 4 Discharge nozzle on Tank 2



Figure 5 Tank Manhole



Figure 6 Supply Line



Figure 7 Fill Line

6.0 PRICE SCHEDULE

Refurbishment and lifting of 2 x T55 Fuel Storage Tanks at EFL's Sigatoka Power Station

Item	Item Description (Labour, consumables, and material)	Total Price
1	Mobilize & set up at Levuka Power Station	
2	Empty fuel tank & Gas free the tank under regulatory requirement	
Tank Internal Works		
3	Tank interior cleaning and surface treatment	
4	Die penetration test for shell joint (if required)	
Tank External Shell Works		
5	Grit Blasting and painting of external shell.	
6	Replace all bolts and nuts for all manholes and nozzles.	
7	Tank sign writing to be carried out as instructed by EFL.	
Lifting of Tank Support Structure		
8	Fabricate and painting lifted cradle of both tanks.	
9	Expand/ Modify bunding to accommodate the new cradle if required	
Supply and Discharge Fuel Line		
10	Repair, replacement and Painting of all external supply and discharge fuel lines.	
11	Service/replace all valves.	
12	Replace all gaskets, bolts, and nuts with new.	
13	Fabricate and install new pipe supports	
Fabrication and Installation of New Stairway and walkway platform		
14	Fabricate and Install New Stairway including gratings and railings from ground level to tank top platform.	
15	Fabricate and Install New Platform with new gratings and railings on tank top similar to existing design.	
Misc.		
17	Temporary storage tank for fuel for the duration of the Project	
18	Complete bunds refurbishment works	

19	Transferring fuel & commissioning the fuel tanks	
20	Clean up site, Demobilize and Handover	
TOTAL FJD (VIP)		

Notes:

1. Technical;
 - a. The bids must as per the Technical Specifications in the Tender Documents. Bids that do not conform to the technical Specification will be disqualified
 - b. Tenderers shall provide proof of successful completion within the stipulated delivery period of similar contracts undertaken in the past.
 - c. Documentary evidence to prove that the items offered comply with the Technical Specification must be provided.
 - d. Contractor to verify all drawing measurements onsite.
 - e. The Supplier/ Contractor shall provide a warrant for Goods or services for provided unless stated otherwise.
 - f. EFL's Engineer or his representative shall have the right to inspect and/or to witness test the Goods at the factory or place of manufacture, for their conformity to the specifications
 - g. The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications
2. Financial;
 - a. In case of discrepancy between unit and total cost, the unit cost shall prevail
 - b. Any advance payment will require a bank guarantee. And this added cost will be beared by bidder
 - c. The currency used in the tender bid prices must be indicated in the tender bid
 - d. Prices shall be fixed during the Supplier’s performance of the Contract and not subject to variation on any account.
 - e. EFL financial terms are applicable for these works.
 - f. For Foreign Supplier, any On-Shore work with incur a withholding Tax of 15% e.g. commissioning, training etc.
3. EFL Energy Fiji Limited uses Federation Internationale Des Ingenieurs Conseil (FIDIC) Contract template. General conditions of this contract shall be governed by it.
4. EFL have right to spilt award, tender may be awarded to multiple suppliers. And Minimum order quantity (MOQ) will not be acceptable.
5. All clarification request must be sent 5 days prior to the deadline for submission of bids
6. Price Schedule must be typed and stamped on the bid submission.
7. Failure to submit required documents may affect bid compliance. Failure to submit mandatory items as stated in Compliance Checklist will result in non-compliance.
8. Contractor shall provide all materials, tools equipment and labour necessary to perform works.
9. A detailed work plan to be provided with expected date for the works.
10. Installation & Commissioning works must incorporate all cost incur for this activity e.g. travel, accommodation, visa etc.
11. All Sub-contractors to be used for any part of the works are to be declared.
12. Work stated must be complete, any addition or exclusion must be stated in the bid.
13. Site Visit mandatory.

6.1 Compliance Checklist Declaration

I _____ of _____ located at _____ confirm that the bid submitted for the following tender MR 25/2022 : Refurbishment and lifting of 2 x T55 Fuel Storage Tanks at EFL’s Sigatoka Power Station bid complies to the mandatory bidder submission as stated in Sub Clause 2.6;

	Yes	No	Details
Commercial			
Price Schedule			
Company Profile			
Detailed Scope of Work/Supply			
Program [preferred Gantt Chart] (If Applicable)			
Payment Term			
Price Validity [preferred 60 days]			
Withholding Tax Inclusion (If Applicable)			
Technical			
Company’s capabilities (resources, staff cv, etc.) include CV of welds (E.g. 3G/6G certification)			
Past Project/ Experience submission			
Warranty on Works			
Conform to all the stated scope of works			
All material will be supplied by Contractor			
Scope of Works/ Supply			
Statement of Exclusion or Amendment for Tender Specification (if Any)			

Note that these submissions are mandatory submission for a successful tender bid. This declaration must be signed and submit as well.

Name: _____

Position: _____

Company: _____

Sign Off: _____

Date: _____

6.2

TENDER CHECKLIST

The Bidders must ensure that the details and documentation mention below must be submitted as part of their tender Bid

Tender Number _____

Tender Name _____

1. Full Company / Business Name: _____

(Attach copy of Registration Certificate)

2. Director/Owner(s): _____

3. Postal Address: _____

4. Phone Contact: _____

5. Fax Number: _____

6. Email address: _____

7. Office Location: _____

8. TIN Number: _____

(Attach copy of the VAT/TIN Registration Certificate - Local Bidders Only (Mandatory))

9. FNPF Employer Registration Number: _____ **(For Local Bidders only) (Mandatory)**

10. **Provide a copy of Valid FNPF Compliance Certificate (Mandatory- Local Bidders only)**

11. **Provide a copy of Valid FRCS (Tax) Compliance Certificate (Mandatory Local Bidders only)**

12. **Provide a copy of Valid FNU Compliance Certificate (Mandatory Local Bidders only)**

13. Contact Person: _____

I declare that all the above information is correct.

Name: _____

Position: _____

Sign: _____

Date: _____

7.0 TENDER FORM

To: Jitendra Reddy
Manager Procurement, Inventory & Supply Chain
Energy Fiji Limited
2 Marlow Street,
Suva,
Fiji Islands
Phone: +679 3224 360/9992400
Email: tenders@efl.com.fj

Sir,

1. Having examined the Tender Document, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply
.....
(Description of Goods) in conformity with the said Tender Document for the sum
.....
..... *(Total tender amount in words and figures)* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Tender.
2. We undertake, if our Tender is accepted, to deliver the Goods in accordance with the delivery schedule specified in the Schedule of Requirements.
4. We agree to abide by this Tender for a period of 90days from the date fixed for Tender opening under Clause 19 of the Instructions to Tenderers, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
5. Until a formal Contract is prepared and executed, this Tender, together with your written acceptance thereof and your notification of award, shall constitute a binding Contract between us.
6. We understand that you are not bound to accept the lowest or any Tender you may receive.

Dated this: _____ day of _____ 201_.

[Signature] [In the capacity of]

Duly authorized to sign Tender for and on behalf of

8.0 SUBMISSION TO TENDER

Bidders are requested to upload electronic copies via Tender Link by registering their interest at: <https://www.tenderlink.com/efl>

This is due to COVID 19 restrictions on movements. Therefore, EFL will not accept any hard copy submission to be dropped in the tender box at EFL Head Office in Suva.

This tender closes at 4.00pm (1600hrs) on Wednesday 2nd March, 2022.

For further information or clarification please contact our Supply Chain Office on phone (+679) 3224360 or (+679) 9992400 or email us on tenders@efl.com.fj

The bidders must ensure that their bid is inclusive of all Taxes payable under Fiji Income Tax Act.

The lowest bid will not necessarily be accepted as the successful bid.

The Tender Bids particularly the "Price" must be typed and not hand written.

Any request for the extension of the closing date must be addressed to EFL in writing three (3) working days prior to the tender closing date.

Tender Submission via email or fax will not be accepted.