

ATTACHMENT C
ITEMIZED QUOTATION FORM

The undersigned, in compliance with this Request for quotes for the *"Supply & Delivery Of Materials for the new Asili Well"* having examined the Contract Documents hereby proposes to furnish all labor, permits, material, machinery, tools, supplies, equipment and incidentals, in strict accordance with the General Conditions, General requirements, Technical provisions, Specifications, within the time indicated for the following prices of:

Bid Item No.	Item Description	Unit of Measure	Estimated Qty.	Unit Price	Extended Amount
B. ASILI WELL MATERIALS					
<i>Pump & Motor</i>					
1	150s150-6 Stainless Steel Grundfos Submersible Pump	ea	2		
2	15 hp Franklin Electric Submersible Motor 226113 Single Phase 230V compatible with 150s150-6	ea	2		
3	15HP 230V Franklin Electric Motor Control Box	ea	2		
4	20 hp Franklin Electric Submersible Motor Three Phase 460V	ea	2		
5	4/3 heavy duty Flat Jacket submersible pump cable 500ft	ea	1		
6	4/3 Clear Splice Kit	ea	1		
7	LMI Pumps AD851-A30HI Series AD Chemical Metering Pump, 0.8 GPH, 110 Max PSI, 50/60 Hz, 115 Volt, Pulse/Analog Input with Dual Manual Control - Digital, Acrylic / PVC AutoPrime Head, with 4 Function Discharge Valve 4FV), Ceramic Valve Balls, Fluorofilm Diaphragm, PTFE / Polyprel Seat & O-Ring, Tubing PE 3/8" OD	ea	1		
<i>3" Column Pipe Materials</i>					
8	3"x20 feet PVC-1120 sch80 Code H, Johnson Screens® heavy duty riser/column pipes, 160 PSI@73°F, ASTM-D1785, NSF61	length	14		
9	3"Ø SS heavy duty riser/column pipes coupling	ea	20		
10	10"x3" Heavy Duty Solid Top Well Seal with 2 x Extra 1" port for sounding tube and for electrical cable	ea	2		
11	3/4" x 10' Sch 80 Flush Thread Valve	length	40		
12	3" Flomatic 80DI Check Valve	ea	3		
13	3"x8" XH Black Steel CW Nipple, TBE	ea	2		
14	3"x6" XH Black Steel CW Nipple, TBE	ea	2		
15	4"x3" HX Black MI AAR Reducer Coupling	ea	4		
15	3" XH BLACK MI AAR TEE	ea	2		
16	3/4" XH BLACK MI AAR TEE	ea	2		
17	3" XH BLACK MI AAR 90 Deg Elbow	ea	2		

18	3"x1" Black Hex Bushing	ea	2		
19	1"x3/4" Black Hex Bushing	ea	2		
20	3/4" Black Cored SQ Head Plug	ea	2		
21	3"x24" Sched 80 Black Steel Nipple	ea	5		
22	3" Pipe Elevators (Column Pipes)	ea	2		
23	4" Pipe Elevators (Column Pipes)	ea	2		
24	Rector Seal PTFE Pipe Thread Sealant	ea	3		
25	Pipe Wrap Black Tape	case	1		
4" Piping Materials					
26	4"Ø DI Class 125 with 4"Ø Diameter NPT Threaded Flange	ea	2		
27	4"Ø Sensus OMNI plus T2 Water Meter, FLGXFLG with SCADA Ready Connection - Pulse or Digital Output option	ea	2		
28	4"Ø single arc rubber expansion joint, FLGXFLG	ea	2		
29	4"ØX 3/4"ØSS single strap pipe saddle	ea	7		
30	3/4" Ø Plast-O-Matic brand PVC air release valve (ARV) assembly, threaded type, 0-250 PSI operating pressure	ea	5		
31	2-1/2"Ødial face, 0-100 PSI pressure range, water/oil filled, 1/2" lower mount	ea	4		
32	4"X4"X4" ductile iron tee, FLGXFLGXFLG	ea	2		
33	4" C515*** Standard ANSI/AWWA UL262 Listed Flanged Gate Valve with Handwheel, Class 125 Flanged.	ea	2		
34	4" C515*** Standard ANSI/AWWA UL262 Listed Flanged Gate Valve with Square wrench Nut head , Class 125 Flanged	ea	2		
35	4"Ø globe type spring loaded silent check valve, FLGXFLG	ea	2		
36	4"ØX12"(L) ductile iron spool pipe, FLGXFLG both ends	ea	2		
37	4"ØX24"(L) ductile iron spool pipe, FLGXFLG both ends	ea	4		
38	4"ØX20"(L) ductile iron spool pipe, FLG one end	ea	2		
39	4"ØX45° ductile iron elbow, FLGXFLG	ea	3		
40	6"ØX4"Ø ductile iron reducer, FLGXFLG	ea	2		
41	4"ØX1/8"Ø thick red rubber flanged gasket	ea	25		
42	5/8"ØX3" SS hex head bolts, nuts and flat washers	ea	250		
43	5/8"ØX6-1/2"(L) full thread SS head bolts, nuts and flat washers	ea	60		
3/4" Air Relief, Sampling & Pressure Gauge Materials					
44	3/4" 2piece DI Threaded Ball valve NPT	ea	3		

45	3/4" Black MI Threaded Tee Joint NPT	ea	2		
46	3/4" Black MI 90 deg Elbow NPT	ea	2		
47	3/4" Black MI Nipple NPT	ea	10		
48	3/4" Black MI Socket NPT	ea	2		
49	3/4" x 10ft Black MI Threaded Pipe NPT	ea	2		
50	Teflon Thread Tape	ea	16		
51	CIF to Pagopago	ea	1		