

**ATTACHMENT C
ITEMIZED QUOTATION FORM**

The undersigned, in compliance with this Request for quotes for the *"Supply & Delivery Of Materials for the new Vaipito Well"* having examined the Contract Documents hereby proposes to furnish all labor, permits, material, machinery, tools, supplies, equipment and incidentals, in strict accordance with the General Conditions, General requirements, Technical provisions, Specifications, within the time indicated for the following prices of:

Bid Item No.	Item Description	Unit of Measure	Estimated Qty.	Unit Price	Extended Amount
A. VAIPITO WELL MATERIALS					
<i>Pump & Motor</i>					
1	150s250-12 Stainless Steel Grundfos Submersible Pump	ea	2		
2	25 hp Franklin Electric Submersible Motor 236615 Three Phase 460V compatible with 150s250-12 pump	ea	2		
3	30 hp Franklin Electric Submersible Motor Three Phase 460V	ea	2		
4	Franklin Submonitor Connect M1772, 3 phase, 460V, 60 Hz	ea	2		
5	6/3 heavy duty Flat Jacket submersible pump cable 500ft	ea	1		
6	6/3 Clear Splice Kit	ea	1		
7	LMI Pumps AD851-A30HI Series AD Chemical Metering Pump, 0.8 GPH, 110 Max PSI, 50/60 Hz, 115 Volt, Pulse/Analog Input with Dual Manual Control - Digital, Acrylic / PVC AutoPrime Head, with 4 Function Discharge Valve 4FV), Ceramic Valve Balls, Fluorofilm Diaphragm, PTFE / Polyprel Seat & O-Ring, Tubing PE 3/8" OD	ea	1		
<i>3" Column Pipe Materials</i>					
8	3" x 21ft Sch 40 Black Steel Drop Pipe - Epoxy coated	length	20		
9	3" XH Black MI AAR Coupling	ea	26		
10	10"x3" Heavy Duty Solid Top Well Seal with 2 x Extra 1" port for sounding tube and for electrical cable	ea	2		
11	3/4" x 10' Sch 80 Flush Thread Valve	length	70		
12	3" Flomatic 80DI Check Valve	ea	4		
13	3"x8" XH Black Steel CW Nipple, TBE	ea	3		
14	3"x6" XH Black Steel CW Nipple, TBE	ea	3		
15	4"x3" HX Black MI AAR Reducer Coupling	ea	5		
16	3" XH BLACK MI AAR TEE	ea	3		
17	3/4" XH BLACK MI AAR TEE	ea	3		
18	3" XH BLACK MI AAR 90 Deg Elbow	ea	5		

19	3"x1" Black Hex Bushing	ea	3		
20	1"x3/4" Black Hex Bushing	ea	5		
21	3/4" Black Cored SQ Head Plug	ea	5		
22	3"x24" Sched 80 Black Steel Nipple	ea	5		
23	3" Pipe Elevators (Column Pipes)	ea	2		
24	4" Pipe Elevators (Column Pipes)	ea	2		
25	Rector Seal PTFE Pipe Thread Sealant	ea	3		
26	Pipe Wrap Black Tape	case	2		
27	Franklin Submonitor Connect Protection	ea			
4" Piping Materials					
28	4"Ø DI Class 125 with 4"Ø Diameter NPT Threaded Flange		2		
29	4"Ø Sensus OMNI plus T2 Water Meter, FLGXFLG with SCADA Ready Connection - Pulse or Digital Output option		2		
30	4"Ø single arc rubber expansion joint, FLGXFLG		2		
31	4"ØX 3/4"ØSS single strap pipe saddle		7		
32	3/4" Ø Plast-O-Matic brand PVC air release valve (ARV) assembly, threaded type, 0-250 PSI operating pressure		5		
33	2-1/2"Ødial face, 0-100 PSI pressure range, water/oil filled, 1/2" lower mount		4		
34	4"X4"X4" ductile iron tee, FLGXFLGXFLG		2		
35	4" C515*** Standard ANSI/AWWA UL262 Listed Flanged Gate Valve with Handwheel, Class 125 Flanged.		2		
36	4" C515*** Standard ANSI/AWWA UL262 Listed Flanged Gate Valve with Square wrench Nut head , Class 125 Flanged		2		
37	4"Ø globe type spring loaded silent check valve, FLGXFLG		2		
38	4"ØX12"(L) ductile iron spool pipe, FLGXFLG both ends		2		
39	4"ØX24"(L) ductile iron spool pipe, FLGXFLG both ends		4		
40	4"ØX20"(L) ductile iron spool pipe, FLG one end		2		
41	4"ØX45° ductile iron elbow, FLGXFLG		3		
42	6"ØX4"Ø ductile iron reducer, FLGXFLG		2		
43	4"ØX1/8"Ø thick red rubber flanged gasket		25		
44	5/8"ØX3" SS hex head bolts, nuts and flat washers		250		
45	5/8"ØX6-1/2"(L) full thread SS head bolts, nuts and flat washers		60		
3/4" Air Relief, Sampling & Pressure Gauge Materials					

46	3/4" 2piece DI Threaded Ball valve NPT	ea	3		
47	3/4" Black MI Threaded Tee Joint NPT	ea	2		
48	3/4" Black MI 90 deg Elbow NPT	ea	2		
49	3/4" Black MI Nipple NPT	ea	10		
50	3/4" Black MI Socket NPT	ea	2		
51	3/4" x 10ft Black MI Threaded Pipe NPT	ea	2		
52	Teflon Thread Tape	ea	16		
53	Chloride Rreagent Set Drop Count Titration Kit	ea	4		
54	Chloride Reagent Set, Mercuric Nitrate Digital Titrator	ea	4		
55	HI-701 Hanna Free Chlorine Handheld Colorimeter - Checked HC	ea	8		
56	CIF to Pagopago	ea	1		