

ATTACHMENT B - BID FORM

The undersigned, in compliance with this Request for quotes for the **"Supply & Delivery Of Materials for the new Well #4 "** having examined the Contract Documents hereby proposes to furnish all labor, permits, material, machinery, tools, supplies, equipment and incidentals, in strict accordance with the General Conditions, General requirements, Technical provisions, Specifications, within the time indicated for the following prices of:

#	Item Description	U/M	Qty	Unit Price	Amount
A. WELL #4 MATERIALS					
Pump & Motor					
1	230s400-10 Stainless Steel Grundfos Submersible Pump	ea	2		
2	230s400-10 pump	ea	2		
3	Order # 276 618 40	ea	2		
4	Franklin Submonitor Connect M1772, 3 phase, 460V, 60 Hz	ea	1		
5	6/3 heay duty Flat Jacket submersible pump cable 500ft	ea	1		
6	6/3 long butt splices Burndy YS6C	ea	30		
7	4/3 long butt splices Burndy YS4C	ea	30		
8	Corporation Stop Model # 49287	ea	4		
9	Chemical Tubing 3/8" Black UV rated	ft	200		
10	PSI, 50/60 Hz, 115 Volt, Pulse/Analog Input with Dual Manual Control - Digital,	ea	1		
4" Column Pipe Materials					
11	4" x 21ft Sch 40 Black Steel Drop Pipe - Epoxy coated	length	16		
12	4" XH Black MI AAR Coupling	ea	20		
13	for electrical cable	ea	3		
14	3/4" x 10' Sch 80 Flush Thread Valve	length	40		
15	4" Flomatic 80DI Check Valve	ea	6		
16	4"x3" HX Black MI AAR Reducer Coupling	ea	5		
17	3/4" XH BLACK MI AAR TEE	ea	3		
18	4" XH BLACL MI AAR 90 Deg Elbow NPT	ea	3		
19	1"x3/4" Black Hex Bushing	ea	3		
20	3/4" Black Cored SQ Head Plug	ea	5		
21	3" Pipe Elevators (Column Pipes)	ea	1		
22	4" Pipe Elevators (Column Pipes)	ea	1		
23	Rector Seal PTFE Pipe Thread Sealant	ea	3		
24	Pipe Wrap Black Tape	case	2		
4" Piping Materials					
25	4"Ø DI Class 125 with 4"Ø Diameter NPT Threaded Flange	ea	2		
26	SCADA Ready Connection	ea	2		
27	4"Ø single arc rubber expansion joint, FLGXFLG	ea	2		
28	4"ØX 3/4"ØSS single strap pipe saddle	ea	4		
29	type, 0-250 PSI operating pressure	ea	5		
30	2-1/2"Ødial face, 0-100 PSI pressure range, water/oil filled, 1/2" lower mount	ea	4		
31	4"X4"X4" ductile iron tee, FLGXFLGXFLG	ea	2		
32	4" C515*** Standard ANSI/AWWA UL262 Listed Flanged Gate Valve with Handwheel, Class 125 Flanged.	ea	2		

33	4" C515*** Standard ANSI/AWWA UL262 Listed Flanged Gate Valve with Square wrench Nut head , Class 125 Flanged	ea	2		
34	4"Ø globe type spring loaded silent check valve, FLGXFLG	ea	2		
35	4"ØX12"(L) ductile iron spool pipe, FLGXFLG both ends	ea	2		
36	4"ØX24"(L) ductile iron spool pipe, FLGXFLG both ends	ea	4		
37	4"ØX20"(L) ductile iron spool pipe, FLG one end	ea	2		
38	4"ØX45° ductile iron elbow, FLGXFLG	ea	3		
39	6"ØX4"Ø ductile iron reducer, FLGXFLG	ea	2		
40	4"ØX1/8"Ø thick red rubber flanged gasket	ea	25		
41	5/8"ØX3" SS hex head bolts, nuts and flat washers	ea	250		
42	5/8"ØX6-1/2"(L) full thread SS head bolts, nuts and flat washers	ea	60		
43	Diesel Engine Driven Welder/AC Generator, 3-phase @ 11,000 Watts peak 480V, 13 A & Single phase @ 11,000 Watts peak 120/240 V, 84/42 A. Welding modes Sitck/TIG MIG/FCAW. To include Stick welding Cables and electrode full kit. Also include TIG welding cables & electrode full kit including spare tips etc	unit	1		
44	Diesel Engine Driven Welder/AC Generator (Item #41) complete with prefabricated finished trailer	unit	1		
3/4" Air Relief, Sampling & Pressure Gauge Materials					
45	3/4" Brass Stop Ball valve NPT x NPT	ea	6		
46	3/4" Brass Tee Joint NPT	ea	4		
47	3/4" Brass 90 deg Elbow NPT	ea	6		
48	3/4" Brass Nipple NPT	ea	10		
49	3/4" Brass Socket NPT	ea	6		
50	3/4" x 4" Brass Nipples NPT	ea	14		
51	Teflon Thread Tape	ea	16		
52	HACH 200Q Portable Turbidity Meter with Calibration Standard	ea	1		
53	HACH DR300 Pocket Chlorine Colorimeter with Calibration Standard	ea	1		
Push to Connect Polypropylene - Chlorine Fittings					
54	3/8" straight Adapters, Tube x Male Threaded Pipe	ea	30		
55	3/8" 90 deg Elbow Tube x Male Threaded Pipe	ea	30		
56	3/8" Inline Tee Adapters, Tube x Male Threaded Pipe	ea	30		
57	3/8" Wye Connectors, Tube	ea	30		
58	3/8" Straight Connectors, Tube	ea	30		
59	3/8" 90 deg Elbow Connectors, Tube	ea	30		
60	3/8" Tee Connectors, Tube	ea	30		
61	3/8" Plastic On/Off Valves Straight Push to Connect x Push to Connect	ea	30		
62	20V MAX XR Brushless High Torque 1/2" Impact Wrench with Battery & Charger (with complete imperial & metric socket set)	set	2		
63	20V MAX® XR® Brushless Cordless 1/2 in. Drill/Driver Kit with Battery & Charger (with Drill bit set)	set	2		
64	Cordless Angle Grinder 5AH with battery & charger	set	2		
65	1/2" straight Adapters, Tube x Male Threaded Pipe	ea	30		
66	1/2" 90 deg Elbow Tube x Male Threaded Pipe	ea	30		

67	1/2" Inline Tee Adapters, Tube x Male Threaded Pipe	ea	30		
68	1/2" Wye Connectors, Tube	ea	30		
69	1/2" Straight Connectors, Tube	ea	30		
70	1/2" 90 deg Elbow Connectors, Tube	ea	30		
71	1/2" Tee Connectors, Tube	ea	30		
72	1/2" Plastic On/Off Valves Straight Push to Connect x Push to Connect	ea	30		
<i>Freight to Pago Pago</i>					
72	CIF to Pagopago	ea	1		