

# GUAM POWER AUTHORITY

ATURIDÅT ILEKTRESEDÅT GUÅHAN P.O.BOX 2977 • HAGÅTÑA, GUAM U.S.A. 96932-2977

To All Interested Parties:

**COMPANY NAME:** 

The Guam Power Authority, Procurement Office will continue its efforts with improvement towards accountability, transparency, and efficiency to better serve GPA personnel, prospective bidders, and guests, please be advised of the following:

- 1. Virtual meetings and/or conferences will be coordinated through the GPA Procurement Division.
- 2. For In-Person meetings and/or conferences:
  - $a.\ Please contact our office for scheduled hand delivery of Sealed$ Bid submission on or before scheduled Opening/Closing date and time with confirmation via:

Tel: (671) 648-3045 and/or (671) 648-3055 Email: GPA-Interested-Parties@gpagwa.com

b. Face masks and social distancing may be employed at the option of the individual.

COMPANY NAME:		REPRESENTATI	VE NAME:
		Print / Sign	Date
BID NO.:	GPA-079-25		
RFP NO.:			







#### JOHN M. BENAVENTE, P.E. **General Manager**

	Telephone Nos. (671) 648-3045/55 or Facsimile (671) 648-3165						
Accoun	tability		Impartiality	•	Competence	· Openness	· Value
INVITAT	ION FOR BID (IF	B) NO.: _	GPA-079-25				
DESCRI	PTION:		PAD MOUNTE	D TRANSF	FORMERS		
that all o	f the following red	ead the Squirement	ealed Bid Solicita s checked below	tion and In are submit st be hand ISSUING Guam P 1st. Floo Gloria B 688 Rou	ted in the bid envelop d delivered, delivered G OFFICE: Power Authority-Pro- or, Room 101 B. Nelson Public Ser	ral Terms and Conditions atta be, one (1) original, two (2) or by mail, or delivered by other curement Office	copies, at the date and time
			May be in the forreral Terms and Co				
	a. b. c.	ONLY & Letter of Bid Bon 1. Cui 2. Po a. b. 3. Po	pe made out to the foredit or and a Valid only if a rent Certificate of wer of Attorney is:  Current Sworn a Current Renewa	ccompanie Authority is sued by th Annual Re al of Annua sued by tw	f the Bidder.)  ed by: issued by the Insurar e Surety to the Resid port (Limited Liability al Limited Liability Pa	heck or Certified Check Ref ce Commissioner; or ent General Agent or the follo Company (LLC) and/or Corp rtnership (LLP); or f the Surety to whomever	owing:
( ) S (XX) E (XX) C (XX) N (XX) N (XX) E (XX) V (XX) F	OWNERSHIP AN ION-COLLUSION IO GRATUITIES THICAL STAND VAGE DETERMI	SCRIPTI' D INTERE N AFFIDA OR KICK ARDS AF NATION A	VE LITERATURE; EST DISCLOSURI VIT; BACKS AFFIDAV FIDAVIT; AFFIDAVIT; SEX OFFENDER	E`AFFIDA\ 'IT;	•	e on items offered) blic Law 36-13; 5 GCA §523.	3(a)
Note: T	he above Affidav a. b. c.	The affi Date of	signature of the pole affidavit must be	ed within ( erson auth	60 days on or before norized to sign the bid	the date the bid is due; and the notary date must be Bid Number/Agency where o	
(XX)		ess Lice	nse and/or Contr			Employer Identification Nurss a pre-condition for enterion	mber (EIN) is ng into a contract with the

This page must be signed and returned in the bid envelope together with the bid. Failure to comply with the above requirements will mean a disqualification and rejection of the bid. On this \_\_ \_\_ day of \_ \_, authorized representative acknowledge receipt of this special reminder to prospective bidders with the above referenced IFB.

Bidder Representative's Signature

#### **ISSUING OFFICE:**

Guam Power Authority-Procurement Office 1st. Floor, Room 101 Gloria B. Nelson Public Service Building 688 Route 15 Mangilao, Guam 96913

Attn: JOHN M. BENAVENTE, P.E.

General Manager

c/o JAMIE LYNN C. PANGELINAN Supply Management Administrator

9/26/2025 JOHN M. BENAVENTE, P.E. DATE

General Manager	l	
DATE ISSUED:	10/07/2025 10/14/2025	BID INVITATION NO.: GPA-079-25
BID FOR:	PAD MOUNTED TRAN	·
SPECIFICATION:	SEE ATTACHED	
DESTINATION:	GUAM POWER AUTHO	ORITY, DEDEDO SUPPLY WAREHOUSE
REQUIRED DELIVER	Y TIME: 24 Weeks After	Approved Drawings by the Guam Power Authority
INSTRUCTIONS TO E		PARTNERSHIPCORPORATION
INCORPORATED IN:		_
	m CHamoru Standard Time; Co or the time and date specified a	es and sealed to the issuing office above no later than (Time) ChST), Date: 10/22/2025 and shall be publicly bove shall be rejected. See attached General Terms and Conditions
the respective items listed expense of the Governmer undersigned agrees that the	on the schedule provided, unless at in opening, tabulating, and ev	me specified, the articles and services at the price stated opposite as otherwise specified by the bidder. In consideration to the valuating this and other bids, and other considerations, the ole within one hundred twenty (120) calendar days from the date quoted.
NAME AND ADDRESS	OF BIDDER:	SIGNATURE AND TITLE OF PERSON AUTHORIZED TO SIGN THIS BID:
The above must be signed disqualification and rejection		nvelope together with bid. Failure to comply will mean a
AWARD: CONTRACT	NO.: AMO	UNT: DATE:
ITEM NO(S). AWARDED	):	
		CONTRACTING OFFICER:
		JOHN M. BENAVENTE, P.E. DATE General Manager
To be completed pre-a		SIGNATURE AND TITLE OF PERSON
GPA revised 08/25/2025		<del>-</del>

# INVITATION FOR BID NO.: GPA-079-25 Requisition No.: 40277

NO.		DESCRIPTION	QTY.	U/I	UNIT PRICE:	TOTAL PRICE:
1.0	75 kVA	A, Pad Mounted Transformer	15	EA	\$	\$
					COMPLY	NOT COMPLY
					Comply must be id All deviations mus	lentified below. It be identified below.
A.	SPECI A.1	FICATIONS: Single-Phase, Dead-Front, 2 Bushing Loop Feed, 4 Total, Insulation Class 15 kV, BIL 95 kV, External T External 4 position make before Break Load, Break Oil Rotary Switch (LBOR) 4 positions are in line A v on, Line B with transformer on and Line A and B wi off. Primary Voltage 13800V, Secondary Voltage 13 secondary grounding strap must be provided, Appel completed.	ap Changer Load Break with transform th transforme 20/240V,	r		
	A.2	All parts of the transformer such as hood, doors hir compartment, base and other accessories shall be 304L stainless steel.	•			
		GPA Specification No.: E-003 Revision 11 ndex No.: E3007513802040B-4				
В.	SAFET B.1	TY DATA SHEET (SDS):  Provide consignee with 'SAFETY DATA SHEET' w deliveries to avoid rejection.	hen making			
C.	LOSS C.1	EVALUATION: Bid award for pad mounted transformers shall be b on the Total Cost of Ownership (TCO) and all other requirements as specified in GPA Specification E-0 Revision 11, Section 6.0.				
D.	MARK D.1	ING REQUIREMENTS: Stencil 1" GPA Index No. / Purchase Order No. / Bi Serial No. and Date of MFG. (DO NOT OBLITERA' LABEL).				
	D.2	Manufacturer Serial No. shall be shown on all deliv receipts and invoices.	ery			
	D.3	All transformers shall have a weather resistant decertifying NON-PCB.	al			
	D.4	Vendors are to provide a user's manual and certifie laboratory test report for every transformer delivere				
	D.5	Vendors are responsible to de-van materials from containers.				
	D.6	Vendors are responsible to provide a means to off transformers that are 750 kVA or larger.	oad			
	D.7	Transformers shall meet all U.S. Department of Engrequirements.	ergy			

# INVITATION FOR BID NO.: GPA-079-25 Requisition No.: 40277

NO.		DESCRIPTION	QTY.	U/I	UNIT PRICE:	TOTAL PRICE:
1.0					COMPLY	NOT COMPLY
					Comply must be iden All deviations must b	
	D.8	Transformers shall be placed and crated with suit materials to prevent damage and injury during shand handling operations.				
E.	SUBM E.1	IITTALS: The bidder shall provide with their bid the followin a. Nameplate Data	g data:			
		b. Connection diagrams				
		c. Guaranteed Full Load Loss at 100% Voltage a	ind Load			
		d. Guaranteed No-Load Loss at Rated Voltage				
		e. Shop Drawings				
		f. Completed Appendix A – Pad Mounted Transfo Information Sheet	ormer			
	E.2	Information for shop drawings shall include: a. Mounting Dimensions				
		b. Location of Equipment, Devices and Terminals	S			
		c. Estimated Weights				
		d. Estimated Number of Gallons of Oil				
		e. Sample Nameplate Data				
		f. Connection diagrams				
		g. Guaranteed Full Load Loss at 100% Voltage a	and Load			
		h. Guaranteed No-Load Loss at Rated Voltage				
	E.3	Vendor shall comply with GPA E-003, Revision 1 of 16 Appendix A Pad Mounted Transformer Infora. Kindly complete the product information and prequired documents. Incomplete information stor rejection.	mation Sheet. ovide the			
		** APPROVED EQUAL TO OR BETTER **				
		NOTE: Bidders must state either "Comply" or "Not Compagainst each specification on the bid document.	ly"		All deviations shal referencing the Se Section(s) from the Specification.	ction and Sub-
		NOTE: Notwithstanding the fact that this contract was wr by one (1) party, it will be construed that it was wr by two (2) parties.			REMARKS / DEVIA	ATIONS:

#### INVITATION FOR BID NO.: GPA-079-25 Requisition No.: 40277

NO.	DESCRIPTION	QTY.	U/I	UNIT PRICE:	TOTAL PRICE:

1.0

#### **DELIVERY REQUIREMENT:**

24 Weeks After Approved Drawings by Guam Power Authority

Reasonable delivery extension requests for this specific bid will be duly considered with the supporting manufacturer documentation however, such requests are not guaranteed approval due to the critical and urgent need of the materials to support the Guam Power Authority's needs.

TO BE COMPLETED BY BIDDER:	Specifications Generated by:
MANUFACTURER/BRAND NAME:	Aurelapune Bolancha 09/25/2025
CAT. NO. / MODEL NO.:	ANGELA R. BALAJADIA Date Inventory Management Officer
PLACE OF ORIGIN:	Specifications Reviewed by:
EXPORT ABROAD:	Louis C. Camacho P.E. 9/24/25
TIME OF DELIVERY AFTER APPROVED DRAWINGS BY GUAM POWER AUTHORITY:	LOUIS C. CAMACHO, P.E. Date Engineering Supervisor
	Specifications Approved by:
	9/26/2025

BEATRICE P. LIMTIACO

Administration

Assistant General Manager of

Date

# INVITATION FOR BID NO.: GPA-079-25 Requisition No.: 40277

NO.		DESCRIPTION	QTY.	U/I	UNIT PRICE:	TOTAL PRICE:
2.0	100 kV	'A, Pad Mounted Transformer	1	EA	\$	\$
					COMPLY	NOT COMPLY
					Comply must be ide All deviations must	entified below. be identified below.
A.	SPECI A.1	FICATIONS: Single-Phase, Dead-Front, 2 Bushing Loop Feed, Total, Insulation Class 15 kV, BIL 95 kV, External External 4 position make before Break Load, Breal Switch (LBOR) 4 positions are line A with transform B with transformer on, Line A and B with transformer A and B with transformer off. Primary Voltage 13800V, Secondary Voltage 120/2 grounding strap must be provided, Appendix A mu	Tap Changer, k Oil Rotary ner on, Line er on and Line 240V, seconda	ary		
	A.2	All parts of the transformer such as hood, doors, he compartment, base and other accessories shall be 304L stainless steel.	_			
		GPA Specification No.: E-003 Revision 11 ndex No.: E3010013802040B-4				
В.	SAFET B.1	TY DATA SHEET (SDS):  Provide consignee with 'SAFETY DATA SHEET' w deliveries to avoid rejection.	hen making			
C.	LOSS C.1	EVALUATION: Bid award for pad mounted transformers shall be be on the Total Cost of Ownership (TCO) and all othe requirements as specified in GPA Specification E-C Revision 11, Section 6.0.	r			
D.	MARK D.1	ING REQUIREMENTS: Stencil 1" GPA Index No. / Purchase Order No. / B Serial No. and Date of MFG. (DO NOT OBLITERA LABEL).				
	D.2	Manufacturer Serial No. shall be shown on all delivereceipts and invoices.	/ery			
	D.3	All transformers shall have a weather resistant deccertifying NON-PCB.	cal			
	D.4	Vendors are to provide a user's manual and certific laboratory test report for every transformer delivered				
	D.5	Vendors are responsible to de-van materials from containers.				
	D.6	Vendors are responsible to provide a means to off transformers that are 750 kVA or larger.	load			
	D.7	Transformers shall meet all U.S. Department of Enrequirements.	nergy			

# INVITATION FOR BID NO.: GPA-079-25 Requisition No.: 40277

NO.		DESCRIPTION	QTY.	U/I	UNIT PRICE:	TOTAL PRICE:
2.0					COMPLY	NOT COMPLY
					Comply must be ident All deviations must be	
	D.8	Transformers shall be placed and crated with suit materials to prevent damage and injury during shand handling operations.				
E.	SUBM E.1	IITTALS: The bidder shall provide with their bid the followin a. Nameplate Data	g data:			
		b. Connection diagrams				
		c. Guaranteed Full Load Loss at 100% Voltage a	nd Load			
		d. Guaranteed No-Load Loss at Rated Voltage				
		e. Shop Drawings				
		f. Completed Appendix A – Pad Mounted Transfo Information Sheet	ormer			
	E.2	Information for shop drawings shall include: a. Mounting Dimensions				
		b. Location of Equipment, Devices and Terminals	3			
		c. Estimated Weight				
		d. Estimated Number of Gallons of Oil				
		e. Sample Nameplate Data				
		f. Connection Diagrams				
		g. Guaranteed Full Load Loss at 100% Voltage a	nd Load			
		h. Guaranteed No-Load Loss at Rated Voltage				
	E.3	Vendor shall comply with GPA E-003, Revision 1 of 16 Appendix A Pad Mounted Transformer Infora. Kindly complete the product information and prequired documents. Incomplete information sl for rejection.	mation Sheet. ovide the			
		** APPROVED EQUAL TO OR BETTER **			AH 1	
		NOTE: Bidders must state either "Comply" or "Not Complagainst each specification on the bid document.	y"		All deviations shall referencing the Sec Section(s) from the Specification.	tion and Sub-
		NOTE: Notwithstanding the fact that this contract was writing to be used to be used to be used. Notwithstanding the fact that this contract was writing the used to be used. Notwithstanding the fact that this contract was writing to be used.			REMARKS / DEVIA	TIONS:

09/25/2025

Date

9/24/25

Date

Date

9/26/2025

BEATRICE P. LIMTIACO

Administration

Assistant General Manager of

#### INVITATION FOR BID NO.: GPA-079-25 Requisition No.: 40277

NO.	DESCRIPTION	QTY.	U/I	UNIT PRICE:	TOTAL PRICE:

DELIVERY REQUIREMENT:

2.0

24 Weeks After Approved Drawings by Guam Power Authority

Reasonable delivery extension requests for this specific bid will be duly considered with the supporting manufacturer documentation however, such requests are not guaranteed approval due to the critical and urgent need of the materials to support the Guam Power Authority's needs.

TO BE COMPLETED BY BIDDER:	Specifications Generated by		
MANUFACTURER/BRAND NAME:	Agyela june Bolajacha 09		
CAT. NO. / MODEL NO.:	ANGELA R. BALAJADIA Inventory Management Officer		
PLACE OF ORIGIN:	Specifications Reviewed by:		
EXPORT ABROAD:	Louis C. Camacho P.E.		
TIME OF DELIVERY AFTER APPROVED DRAWINGS BY GUAM POWER AUTHORITY:	LOUIS C. CAMACHO, P.E. Engineering Supervisor		
	Specifications Approved by:		

GUAM POWER AUTHORITY	SPECIFICATION No. E-003	Page 1 of 16  March 18, 2022
PREPARED BY THE ENGINEERING DEPARTMENT		REV. 11

## GUAM POWER AUTHORITY P.O. BOX 2977 HAGATNA, GUAM 96932

#### TRANSMISSION & DISTRIBUTION SPECIFICATION

Specification No. E-003

**FOR** 

SINGLE PHASE PAD MOUNTED DISTRIBUTION TRANSFORMER



#### SPECIFICATION No. E-003

Page 2 of 16

March 18, 2022

**REV. 11** 

#### SINGLE PHASE PAD MOUNTED DISTRIBUTION TRANSFORMER

#### TABLE OF CONTENTS

SECT	TION	PAGE
1.0	SCOPE	3
2.0	APPLICABLE PUBLICATIONS	
3.0	DEVIATIONS AND NON-CONFORMANCE REQUIREMENTS	4
4.0	SUBMITTALS	
5.0	CERTIFIED LABORATORY TEST REPORTS	
6.0	LOSS EVALUATION	6
7.0	RATINGS	
8.0	DESIGN	8
9.0	CONSTRUCTION	10
10.0	QUALITY CONTROL	15
11.0	PACKING AND SHIPPING	15
12.0	APPENDIX A	16

EFFECTIVE DATE: 4-1-22

ISSUED:

APPROVED:

		Page <b>3</b> of <b>16</b>
GUAM POWER AUTHORITY	SPECIFICATION No. E-003	March 18, 2022
PREPARED BY THE		REV. 11
ENGINEERING DEPARTMENT		KEV. II

#### 1.0 SCOPE

- 1.1 This specification covers GPA requirements for single-phase, looped, deadfront, 60 Hz, mineral oil filled, 65° C rise pad mounted type distribution transformers for use with separable insulated high-voltage connectors.
- 1.2 The transformer is intended for use in tropical weather conditions with a corrosive sea air atmosphere, sustained wind strengths of 155 MPH with gusts to 180 MPH and subject to moderate and severe earthquakes.

#### 2.0 APPLICABLE PUBLICATIONS

The transformers shall meet the requirements of the following standards, including the latest revisions with respect to material, design and tests.

- 2.1 AMERICAN NATIONAL STANDARDS INSTITUTE, INC. (ANSI)
  - C57 Requirements for Distribution Transformers
  - **C68.1** Techniques for Dielectric Tests
  - C76 Apparatus Bushings
- 2.2 NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION (NEMA) STANDARDS
  - **TR 1** Transformers, Regulators and Reactors
- 2.3 AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM) STANDARDS
  - **D3487** Mineral Insulating Oil used in Electrical Apparatus
  - **D92** Manual Cleveland Flashpoint Tester
  - **D877** Dielectric Breakdown Voltage of Insulating Liquids
- 2.4 NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)
  - 70 National Electrical Code
  - **70B** Electrical Equipment Maintenance
- 2.5 FEDERAL SPECIFICATIONS

TT-P-636D Red or Brown Iron-Oxide Primer for Galvanized Metal Surfaces

		Page 4 of 16
GUAM POWER AUTHORITY	SPECIFICATION No. E-003	March 18, 2022
PREPARED BY THE ENGINEERING DEPARTMENT		REV. 11

#### 3.0 DEVIATIONS AND NON-CONFORMANCE REQUIREMENTS

- 3.1 Deviations from this specification or changes in the material or design after the purchase order has been placed must be approved by the GPA Engineering Department and acknowledged by a Purchase Order Amendment issued by GPA.
- 3.2 Units received with deviations or non-conformances that are not acknowledged per Section 3.1 are subject to rejection. The Supplier of rejected units is responsible for any corrective action including but not limited to materials, labor and transportation necessary to dispose of or make the units conform to the specification.
- 3.3 Notification of defective units discovered before or after installation that are believed to be inherent to manufacturing problems or workmanship shall be made and forwarded to the Supplier. The description of the item, documentation of the problem and the described information, disposition and/or follow-up (as appropriate) that GPA expects from the Supplier will be specified. The Supplier's response shall be made within thirty (30) days unless an extension is acknowledged and approved in writing by the GPA Manager of Engineering.
- 3.4 Warranty -- the Supplier shall warrant the distribution transformer to be free from defects in material and workmanship under normal use and service conditions. The term of the Warranty shall be the lesser of twelve (12) months from the date of initial installation or eighteen (18) months from date of receipt.
- 3.5 Statement of Compliance - The Supplier shall provide a signed statement verifying that the products being supplied fully comply with the specifications and drawings. Items not in full compliance with the specification and drawings will be identified with a description of the deficiency and any proposed substitutions. Items not in full compliance with the specifications and drawings must be approved by the GPA Engineering Department, as described in Section 3.1.

#### 4.0 SUBMITTALS

- 4.1 The bidder shall provide the following data with their bid submittal:
  - Nameplate Data a.
  - Connection Diagrams b.
  - Guaranteed full load loss at 100% voltage and load c.
  - Guaranteed no-load loss at rated voltage d.
  - **Shop Drawings** e.
  - Completed Appendix A PAD-MOUNTED TRANSFORMER f. INFORMATION SHEET

**EFFECTIVE DATE: ISSUED:** APPROVED: 4-1-22

GUAM POWER AUTHORITY	SPECIFICATION No. E-003	Page <b>5</b> of <b>16</b> March 18, 2022
PREPARED BY THE ENGINEERING DEPARTMENT	9	REV. 11

- 4.2 Information for initial bid review shop drawings shall include:
  - a. Mounting dimensions
  - b. Location of equipment, devices and terminals
  - c. Estimated Weight
  - d. Estimated Number of gallons of oil
  - e. Sample Nameplate Data
  - f. Connection diagrams
  - g. Guaranteed full loss at 100% voltage and load
  - h. Guaranteed no-load loss at rated voltage
- 4.3 After award of contract, final shop drawings indicating full details of construction and the outline of all connectors shall be submitted to GPA Engineering for review and approval. Information for FINAL shop drawings shall include:
  - a. Mounting dimensions
  - b. Location of equipment, devices and terminals
  - c. Actual Weight
  - d. Actual Number of gallons of oil
  - e. Nameplate Data
  - f. Connection diagrams
  - g. Guaranteed full loss at 100% voltage and load
  - h. Guaranteed no-load loss at rated voltage
- 4.4 GPA shall be allowed two (2) weeks to review and approve final shop drawings provided in Section 4.3.1 without affecting the shipping date. Delays in delivery due to drawings that are disapproved during this review period are the responsibility of the Supplier.
- 4.5 Drawings returned to the Supplier as approved shall be considered authorization to proceed with the work. The approval of GPA shall in no way abrogate the requirements of this specification.

#### 5.0 CERTIFIED LABORATORY TEST REPORTS

5.1 Certified tests shall be conducted in accordance with ANSI C57 plus a standard production impulse test. Transformers shall have passed all required tests demonstrating compliance with the design requirements and industry standards.

GUAM POWER AUTHORITY
PREPARED BY THE
FNGINEERING DEPARTMENT

#### SPECIFICATION No. E-003

Page	6	of	16	

March 18, 2022

REV. 11

- 5.2 The Supplier shall also conduct tests to determine transformer load and no-load losses. This test data shall be certified as true and correct by an independent testing firm and submitted to the Authority.
- 5.3 The Supplier shall furnish two (2) copies of the certified test reports of all tests covered by this specification to the GPA Manager of Engineering prior to shipment.

#### 6.0 LOSS EVALUATION

- 6.1 Each bidder shall submit with his bid the guaranteed load and no-load losses on each transformer submitted. Guaranteed load losses shall be provided at 85° C and shall be stated at the nominal voltage tap positions.
- 6.2 Guaranteed losses will be evaluated by GPA to determine the equivalent cost for owning and operating each transformer. The value of the transformer no-load and load losses will be determined by GPA at the time of purchase to arrive at the projected Total Cost of Ownership (TCO) as follows:

TCO = IC + A x 
$$(P_o + P_{co})$$
 + B x  $(P_k + P_{cs} - P_{co})$  Where:

Po = No Load Losses (NLL) in kW (Provided by Bidder)

Pco Power Consumption of Cooling Equipment at No Load Operation (Zero Power Consumption of Cooling Equipment, unless otherwise provided)

Pk = Load Losses (LL) in kW (Provided by Bidder)

Power Consumption of Cooling Equipment at Rated Power Operation (Zero Power

Consumption of Cooling Equipment, unless otherwise provided)

IC = Initial Transformer Cost (Provided by Bidder)

 $A = t X c_{n/2} X (1 - (1/(1+i))^n)/i$ 

 $B = u X t X c_{n/2} X (1 - (1/(1+i))^n)/i$ 

 $u = k^2$ 

t = Operating Hours per Year (24 Hours/Day X 365 Days/Year = 8760 Hours)

= Discount Rate (5% Used By GPA for Money Certificates Issued)

n = Expected Lifetime of the Transformer in Years (GPA Uses 25 Years)

c<sub>n/2</sub> = Is the Cost of energy at the Mid-Life of the Transformer

Note: If Annual increase of energy price is assumed to be constant, cn/2 can be calculated using C, j & n

 $c_{n/2} = (C + (C \times (1+J)^n))/2$ 

C = Is the Initial Cost of Energy (\$) (Calculated From the weighted average energy rate from the Revenue Report with Fuel-Non Fuel Data Dec 2017) (\$0.1007)

GUAM POWER AUTHORITY	SPECIFICATION No. E-003	Page 7 of 16  March 18, 2022
PREPARED BY THE ENGINEERING DEPARTMENT		REV. 11

- j = Is the Annual Increase of Energy Price (%) (Calculated from the Base Rate Increases from 1998 to 2018) (1.0935%)
- k = Is the Average Loading of the Transformer During its Lifetime (Calculated using data From the GPA Distribution Analysis 2010-2015) (20.05%)
- 6.3 A Band of Equivalence method will be used when evaluating the total cost for owning and operating each transformer. Transformers with a TOC that is within 5% of the transformer with the lowest TOC will be considered equivalent. The transformer with the lowest purchase price within this band shall be considered the lowest bid.
- 6.4 GPA will review actual, certified load and no-load losses for each transformer. In the event the actual losses exceed the guaranteed losses, the Supplier's contract will be reduced. The price reduction shall be the difference between the guaranteed losses and the actual losses at the rates indicated above. Load and no-load loss penalties will be assessed independently. Bonuses will not be awarded for actual losses which are less than guaranteed. Any transformer with no-load losses or load losses greater than the tolerances indicated in ANSI C57 shall be rejected by the Authority.

#### 7.0 RATINGS

- 7.1 The primary voltage ratings are either 13,800 V Delta or line to line connected primary (2 phase input) or 13,800GRD Y/ 7970V Wye or line to neutral connected primary (1 phase input).
- 7.2 Secondary Voltage rating shall be 240/120 volts as required.
- 7.3 The insulation class is 15 kV and the primary-voltage BIL is 95 kV.
- 7.4 The required transformer kVA ratings will be indicated on the purchase order. The following kVA ratings are standard for GPA pad mounted transformers:

25, 50, 75, 100 and 167

7.5 The transformer impedance shall be as indicated in Table 1. ANSI tolerances may be applied to these values. The impedance value shall be provided on the nameplate.

GUAM POWER AUTHORITY	SPECIFICATION No. E-003	Page 8 of 16  March 18, 2022
PREPARED BY THE ENGINEERING DEPARTMENT		REV. 11

TABLE 1. Transformer Impedance

Size (KVA)	Minimum Impedance (%)
50-100	1.8
167	2.1

- 7.6 The transformer shall meet the latest energy efficiency standards for liquid immersed distribution pad mounted transformers required by the United States Department of Energy.
- 7.7 The Average Winding Rise shall be 65°C

#### 8.0 DESIGN

#### 8.1 Taps

- a. Unless otherwise specified, taps shall be furnished on the high voltage winding. Tap ratios shall conform to ANSI C57 for all transformers, with two 2½ % taps above and below the rated voltage.
- b. Taps shall be full KVA rated and have short circuit capability noted in ANSI C57.
- c. The selection of the tap desired shall be obtained through the operation of an externally operated switch.
  - 1. The switch shall be designed for de-energized operation.
  - 2. The switch assembly shall be snap action or the handle designed to permit checking that a switching operation has been completed.
  - 3. The switch assembly shall be designed to prevent accidental operation.
  - 4. Tap positions shall be clearly marked near the switch handle and on the transformer nameplate.
  - 5. A clearly legible yellow sign in accordance with 9.10.c shall be located adjacent to the handle which identifies it as the tap changer handle and includes a warning to not operate energized.



d. The tap changer operating handle shall be located either in the low-voltage compartment, above the low-voltage bushings or hot stick operable at the high voltage compartment without interfering when primary or secondary cables are installed.

#### 8.2 Protection

- a. Transformers shall be supplied with primary bayonet-type, oil-immersed fuses with isolation links.
- b. Fuse links shall be replaceable without requiring cutting or grinding of the transformer tank.
- c. Bayonet fuses with isolation links shall meet the following requirements:
  - A yellow sign in accordance with 9.11.c reading "CAUTION READ BAYONET OPERATING INSTRUCTION BEFORE RE-FUSING" shall be located adjacent to bayonet fuses.
  - 2. A closed-end trough or catch basin shall be provided to prevent oil dripping on cables and terminations.
  - 3. Free clearance shall be provided for hot stick operation of bayonet fuses.
  - 4. Bayonet fuses with isolation links shall be sized in accordance with Table 2.

TABLE 2. Transformer Fusing (Bayonet with Isolation Link)

KVA	Rating(Amps)
25	3
50	8
75	15
100	15
167	20

d. Loop-feed transformers must be provided with an externally operated 4-position load break oil rotary switch with make before break capability on the primary side. The 4 positions are: 1. Lines A & B with transformer closed

WIT AN		Page 10 of 16
GUAM POWER AUTHORITY	SPECIFICATION No. E-003	March 18, 2022
PREPARED BY THE ENGINEERING DEPARTMENT		REV. 11

"ON", 2. Line A with transformer closed "ON", 3. Line B with transformer closed "ON", 4. Lines A & B with transformer opened "OFF". LBOR must be hot stick operable.

e. All transformers covered by this specification shall have an automatic pressure relief valve installed above the hottest temperature oil level in the low voltage compartment, near the right hand most edge to the right of the top bushing to prevent oil dripping on cables and terminations and to prevent spraying.

#### 9.0 CONSTRUCTION

- 9.1 The transformer shall consist of a welded transformer tank which shall be sealed with a welded cover. The enclosure, tank, doors and base of the transformer (the part that makes contact with the mounting surface) shall be made of Type 304L stainless steel.
- 9.2 The transformer shall be equipped with a flip-top hood with heavy duty 3/8" removable stainless steel hinge pins. The high and low voltage compartment including hood, hinges, base and other exterior parts and accessories on the high and low voltage compartment shall be made of Type 304L stainless steel.
- 9.3 A 2 point lifting provision minimum shall be provided to allow for level lifting.
- 9.4 The manufacturer shall identify the type of steel and the thickness of the metal in inches or in gage size, in which case the gage name shall be specified.
- 9.5 No part of the transformer shall allow deformation or standing water. The top of the transformer shall be convex so water will run off the top.
- 9.6 The transformer shall have an oil level gauge, fill plug, drain valve, and self-actuating pressure relief device.
- 9.7 An indication shall be provided for signifying the correct oil level at 25° C if fill plug is not at this level.
- 9.8 Bushings and Terminals
  - a. High voltage separable insulated connector bushings.
    - 1. 200A loadbreak bushing wells and inserts shall be provided. The

GUAM POWER AUTHORITY	SPECIFICATION No. E-003	Page 11 of 16  March 18, 2022
PREPARED BY THE ENGINEERING DEPARTMENT		REV. 11

Supplier shall provide approved load break bushing insert(s), Elastimold 1601A4 or approved equal.

- 2. Bushings shall be bonded to tank having a maximum resistance between high voltage bushing shielding and tank of 5000 ohms.
- 3. Weatherproof protective caps shall be installed to remain in position during shipping and storage and not deteriorate prior to installation of transformer.
- 4. 13,800V delta connected 2 bushing transformers shall be single-phase, dead-front and loop fed with (4 total primary bushings). 2 bushings line A in and 2 bushings line B out as shown in Figure 1 below.




FIGURE 1. 13800 kV Delta Loop Feed Bushing Configuration

5. 13,800GRD Y/ 7970V Wye connected 1 bushing transformers shall be single-phase, dead-front and loop fed with (2 total primary bushings). 1 bushing line A in and 1 bushing line B out as shown in Figure 2 below.



FIGURE 2. 13,800GRD Y/7970 V Loop Feed Bushing Configuration

GUAM POWER AUTHORITY	SPECIFICATION No. E-003	Page <b>12</b> of <b>16</b> March 18, 2022
PREPARED BY THE ENGINEERING DEPARTMENT		REV. 11

#### b. Low voltage terminals

- 1. Low voltage terminals shall be NEMA four (4) hole spade for bolting copper terminal lugs.
- 2. Low voltage terminals shall be plated for copper or aluminum cable terminations.
- 3. The low voltage neutral shall be fully insulated and provided with a connected, removable neutral ground strap, which shall be connected so as not to impair the bolted secondary connections.
- 4. Low voltage terminals shall be ANSI Type 1 configuration as shown in figure 3. Sufficient clearance shall be allowed between terminal, side of cabinet and floor for termination of cables.




FIGURE 3. Secondary Configuration. Type 1 ANSI

- c. The transformer shall have high and low voltage bushings which are externally clamped and replaceable without requiring access to the inside of the tank.
- d. Ground nuts for grounding connection shall be provided with ground connector for #4 to 2/0 copper wires.

#### 9.9 Security Requirements

Access to the transformer compartment shall be secured by a minimum of two independent locking arrangements.

- a. The transformer locking design shall meet the requirements of the Western Underground Committee Guide 2.13, latest revision, "Security for Pad Mounted Equipment Enclosures."
- b. The transformer shall be designed to prevent wire entry and pass the

GUAM POWER AUTHORITY	SPECIFICATION No. E-003	Page 13 of 16  March 18, 2022
PREPARED BY THE ENGINEERING DEPARTMENT		REV. 11

following production quality control and receiving inspection test procedure:

- 1. Any length of #12 AWG medium hard drawn solid bare copper wires shall be inserted into each opening until the wire enters the compartment or reaches an obstacle.
- 2. If the wire reaches an obstacle, it can be bent and extended a maximum of three times at which time it shall be considered that the wire cannot be inserted into the enclosure.
- 3. Entry of the wire into a compartment shall constitute a lack of tamper resistance and shall be cause for rejection. It is not necessary for the wire to actually contact energized components since entry into the compartment can establish potential contact conditions.
- c. The locking design shall be adequately sized for a standard padlock. The padlock shall not protrude beyond the front of the hood when installed.
- d. Access door shall be secured by a recessed, captive, pentahead bolt which threads into a noncorrosive nut with a blind hole to prevent the bolt from falling out of the door and a standard padlock.
- e. Low profile cabinets, with access flip-up hoods, need only padlock and pentahead bolt provisions, and shall be coordinated to prevent insertion of the padlock into the hasp until the bolt head is essentially completely seated.
- f. The padlocking device shall be so designed and located so as to resist prying or breaking off by screwdrivers, wrecking bars, tire irons, single-socket lug wrenches, or other readily accessible tools.
- g. Hinge pins shall be passivated AISI type 304 stainless steel or equivalent corrosion-resistant metal.

#### 9.10 Finish Requirements

a. The tank, compartment and all appurtenances shall be resistant to impact and corrosion under normal operating conditions in Guam's salt air environment.

GUAM POWER AUTHORITY	SPECIFICATION No. E-003	Page <b>14</b> of <b>16</b> March 18, 2022
PREPARED BY THE ENGINEERING DEPARTMENT		REV. 11

- 1. The total external dry-film thickness of the paint shall be 3.5 mils minimum or equivalent protection and 2.0 mils minimum on the interior compartment surfaces.
  - All mating surfaces shall be designed to prevent degradation of corrosion protection, e.g. abrasion and impact. Mating surfaces at sill/hood junction shall be designed to prevent standing water corrosion.
  - Surfaces in contact with, and a minimum of two inches above, the
    mounting surface shall be designed or treated to be resistant to
    corrosion and abrasion when unit is skidded and slid into place on the
    mounting pad.
- b. The transformer shall withstand the following environmental tests for 2000 hours:
  - 1. ASTM B117, Standard Method of Salt Spray (Fog) Testing.
  - 2. Ultraviolet Test, per ASTM D822, Standard Recommended Practice for Operating Light and Water Exposure Apparatus (Carbon-Arc type) for testing paint, varnish, lacquer and related products (ASTM G23 TypeD or better).
- 9.11 Transformer Identification and Labeling Requirements
  - a. High voltage and low voltage terminal designations shall be located directly above their respective terminals.
  - b. Transformer KVA rating, designated high voltage nameplate and designated low voltage nameplate shall be located inside the door and plainly visible with door open.
  - c. Signs shall be yellow stenciled or approved decals. Decals shall have yellow printing on a black or clear background, or black printing on a yellow background, reverse printed on Scotch Cal material with pressure sensitive adhesive or an equivalent approved by GPA Engineering.
  - d. Nameplate

GUAM POWER AUTHORITY	SPECIFICATION No. E-003	Page <b>15</b> of <b>16</b> March 18, 2022
PREPARED BY THE ENGINEERING DEPARTMENT		REV. 11

- 1. The nameplate shall be made of corrosion resistant material and shall comply with applicable industry standards for distribution transformers.
- 2. The nameplate shall be permanent showing all of the required information, including KVA, voltage rating, ratio, BIL, weight, winding material, month and year of manufacture, impedance, high voltage and low voltage material, etc.
- 3. The nameplate shall have rounded corners, and shall not be mounted more than ¼" from the surface so as not to constitute a personnel hazard during bare hand secondary make up.

#### 10.0 QUALITY CONTROL

- 10.1 The Supplier shall have a quality control program to ensure compliance with the requirements of this specification. The program shall be documented and available for GPA's review if requested.
- 10.2 Documentation of the quality control program shall indicate where in the production and manufacturing process the quality checks are taken, describe the purpose of the checks, and describe the nature of the check, e.g. if check is visual only or if electrical or mechanical testing is used.

#### 11.0 PACKING AND SHIPPING

- 11.1 The supplier shall have adequate work and inspection instructions for handling, storage, preservation, packaging and shipping to protect the quality of the transformer and all attachments and to prevent damage, loss and deterioration of the transformer and its appurtenances.
- 11.2 The transformer shall be placed and crated with suitable material to prevent damage and injury during shipment and handling operations.
- 11.3 The transformer shall be securely blocked to prevent shifting during transit.



#### SPECIFICATION No. E-003

March 18, 2022

REV. 11

Page 16 of 16

Appendix A

#### PAD-MOUNTED TRANSFORMER INFORMATION SHEET

NOTE: Please complete the product information and provide the required documents. Incomplete information shall be cause for rejection.

	Product Information		
1.	Transformer Phase		
2.	Primary Voltage (13800V Delta 2 bushing or 7970V Wye 1 bushing) Circle 1.		
3.	Secondary Voltage 240/120V	Yes	No
4.	Transformer kVA Size		
5.	Insulation Class Rating		
6.	Primary Voltage BIL Rating		
7.	Impedance		
8.	Bay-O-Net Fuse (Specify size) Quantity:	Yes	No
9.	Feed Type (looped)	Yes	No
10.	Loop feed transformers (4 position Load Break Oil Rotary Switch (Make before Break))	Yes	No
11.	Pentahead, recessed and captive	Yes	No
12.	Provision for padlock recessed to reduce tampering	Yes	No
13.	Auto Pressure Relief Valve	Yes	No
14.	ANSI Type 1 secondary configuration.	Yes	No
15.	Drain Plug/Valve	Yes	No
16.		Yes	No
17.	Tap Changer (2 taps 2.5% above and below rated)	Yes	No
18.	Ground Strap provided	Yes	No
19.	Ground provisions with Ground Connectors provided for #4 to #2/0cu (2 ea.)	Yes	No
20.	Are all parts of the transformer such as hood, doors, hinges, tank, base and other parts and accessories made of Type 304L Stainless Steel?	Yes	No
21.	Flip Top Hood	Yes	No
22.	Is there a Convex Top	Yes	No
23.		Yes	No
24.	Secondary Spade Terminals provided (ANSI 4 hole)	Yes	No
25.	Primary 200A Load break insert provided (Specify model number and manufacturer)	Yes	No
26.	Guaranteed No Load Loss (Per Section 4.2)		
27.	Guaranteed Full Load Loss (Per Section 4.2)		

Required Documents		
1. Sample Nameplate Data	Yes	No
2. Connection Diagrams	Yes	No
3. Shop Drawings	Yes	No

EFFECTIVE DATE: 4-1-22

ISSUED:

APPROVED:





# **GUAM POWER AUTHORITY**

ATURIDÅT ILEKTRESEDÅT GUÅHAN P.O.BOX 2977 • HAGÅTÑA, GUAM U.S.A. 96932-2977

Telephone Nos. (671) 648-3045/55 Fax: 648-3165

Lourdes A. Leon Guerrero I Maga 'håga Joshua F. Tenorio I Sigundo Maga 'låhi

#### **BID BOND**

NO.:		
KNOW ALL MEN BY THESE PRESENTS that		<u>,</u> as
Principal Hereinafter called the Principal, and (Bond A duly admitted insurer under the laws of the Territor Held firmly bound unto the Territory of Guam for the (\$), for Payment of which sum where Surety bind ourselves, our heirs, executors, administration by these presents.	e sum of	Dollars said Principal and the said
WHEREAS, the Principal has submitted a bid	for (identify project by number	er and brief description)
NOW, THEREFORE, if the Territory of Guam is enter into a Contract with the Territory of Guam in a bonds as my be specified in bidding or Contract doeperformance of such Contract Documents with good Contract and for the prompt payment of labor and nof the failure of the Principal to enter such Contract Territory of Guam the difference not to exceed the pand such larger amount for which the Territory of Gwork covered by said bid or an appropriate liquidate obligation shall be null and void, otherwise to remain	accordance with the terms of cuments with good and suffice d and sufficient surety for the material furnished in the prosection and give such bond or bond penalty hereof between the actuam may in good faith contracted amount as specified in the	such bid, and give such bond or cient surety for the faithful e faithful performance of such ecution thereof, or in the event ls, if the Principal shall pay to the amounts specified in said bid act with another party to perform
Signed and sealed this	day of	2025.
	(PRINCIPAL)	(SEAL)
(WITNESS)		
(TITLE)		
(MAJOR OFFICER OF SURETY)		
(TITLE)		(TITLE)
	(RESIDENT (	GENERAL AGENT)

#### **INSTRUCTION TO PROVIDERS:**

NOTICE to all Insurance and Bonding Institutions:

The Bond requires the signatures of the Vendor, two (2) major Officers of the Surety and Resident General Agent, if the Surety is a foreign or alien surety.

When the form is submitted to the Guam Power Authority, it should be accompanied with copies of the following:

- 1. Current Certificate of Authority to do business on Guam issued by the Department of Revenue and Taxation.
- 2. Power of Attorney issued by the Surety to the Resident General Agent or the following:
  - a. Current Sworn Annual Report (Limited Liability Company (LLC) and/or Corporation) or;
  - b. Current Renewal of Annual Limited Liability Partnership (LLP)

The following reference links below are for reference:

https://www.govguamdocs.com/revtax/docs/SwornAnnualReport\_LLC\_0609.pdf https://www.govguamdocs.com/revtax/docs/SwornAnnualReport\_Corporations.pdf https://www.govguamdocs.com/revtax/docs/Renewal\_LLP\_Registration\_r1106.pdf

3. Power of Attorney issued by two (2) major officers of the Surety to whoever is signing on their behalf.

Bonds, submitted as Bid Guarantee, without signatures and supporting documents are invalid and Bids will be rejected.



# **GUAM POWER AUTHORITY**

ATURIDÅT ILEKTRESEDÅT GUÅHAN P.O.BOX 2977 • HAGÅTÑA, GUAM U.S.A. 96932-2977

# SPECIAL PROVISION FOR OWNERSHIP & INTEREST DISCLOSURE AFFIDAVIT

All Bidders/Offerors are required to submit a current affidavit as required below. Failure to do so will mean disqualification and rejection of the Bid/RFP.

5 GCA §5233 (Title 5, Section 5233) states: Disclosure of Ownership, Financial, and Conflicts of Interest

- (a) Purpose. The disclosure required by this Section are intended to reveal information bearing on the responsibility of a bidder, and can be obtained by an inquiry regarding responsibility prior to award.
- (b) Definitions.
  - As used herein, the term "person" shall be interpreted liberally to include the definition found in 1 GCA § 715, and in § 5030(n) of this Chapter, and includes a natural person as well as every entity of whatever form or composition (an "artificial person") recognized under the laws of Guam other than a natural person, who is a prospective contractor under a bid, offer, proposal, or other response to a solicitation, or is a contractor under a contract with the government of Guam, and subject to the provisions of this Chapter.
- (c) Public Disclosure of Ownership.
  - (1) The ownership interests to be disclosed under this Section include the interests of a natural or artificial person who owns all or any part of a prospective contractor, bidder, or offeror, whether as proprietor, a partner, limited or otherwise, a shareholder of any class, in which case the percentage ownership interest test shall be based on each class, a member of an association or company, limited or otherwise, and any person owning a beneficial legal interest in any trust, and any other person having the power to control the performance of the contract or the prospective contractor.
  - (2) Prior to award, every person who is a prospective contractor, bidder, or offeror of a contract to be acquired under any method of source selection authorized by this Chapter shall submit a Disclosure Statement, executed as an affidavit under oath, disclosing the name of each person who currently or has owned an ownership interest in the prospective contractor, bidder, or offeror greater than ten percent (10%) at any time during the twelve (12) month period immediately preceding the date of the solicitation (the "relevant disclosure period").
    - (A) If a prospective contractor, bidder, or offeror is an artificial person, the Disclosure Statement shall disclose the name of each person who has owned an ownership interest in such artificial person (a "second tier owner") greater than twenty-five percent (25%) at any time during the relevant disclosure period.
    - (B) If any such second tier owner is also an artificial person, the Disclosure Statement shall disclose the name of each person who has owned an ownership interest in such second tier owner (a "third tier owner") of forty-nine percent (49%) or more during the relevant disclosure period.
    - (C) If the name of no natural person has been identified as an owner, or a second or third tier owner of the prospective contractor, bidder, or offeror, the Disclosure Statement shall identify the name, position, address, and contact information of the natural person having the authority and responsibility for the performance of the prospective contract, and the name of any natural person who has the authority and power to remove and replace the designated responsible person or otherwise control the performance of the prospective contract.
- (d) Disclosure of Financial Interest. A prospective contractor shall execute an affidavit disclosing the name of any person who has received or is entitled to receive a commission, gratuity, contingent fee or other compensation to solicit, secure, or assist in obtaining business related to the solicitation by means of a Disclosure Statement, executed as an affidavit under oath, disclosing such interest and shall also contain the amounts of any such commission, gratuity, contingent fee or other compensation.
- (e) Disclosure of Conflict of Interest. A prospective contractor shall disclose the name of any person who directly or indirectly participates in any solicitation if such person is also an employee of the government of Guam, or of the government of the United States if federal funds are used in payment of the contract.

- (f) Every disclosure of an ownership or financial interest of any person required to be identified by this Section shall name the person required to be disclosed and the street address of their principal place of business. All information disclosed or meant to be disclosed under this Section is public procurement data and shall be kept as part of the public record of each procurement.
- (g) Continuing Duty of Disclosure. Notwithstanding any other provision of this Chapter, the duty to disclose the information required under this Section shall be, upon award a continuing duty of a contractor of every contract subject to this Chapter, and all such information shall become part of the procurement record required by § 5249 of this Chapter. Throughout the term of a contract subject to the terms of this Chapter, the contractor shall promptly make any disclosures not made previously and update changes in the identities or other required information, interests, or conflicts of the persons required to be disclosed herein. Failure to comply with this Section shall constitute a material breach of contract."

Section 2. Severability. If any provision of this Act or its application to any person or circumstance is found to be invalid or contrary to law, such invalidity shall not affect other provisions or applications of this Act that can be given effect without the invalid provision or application, and to this end the provisions of this Act are severable.

- 1. If the affidavit is a copy, indicate the BID/RFP number and where it is filed.
- 2. Affidavits must be signed within 60 days of the date the bids or proposals are due.

## OWNERSHIP & INTEREST DISCLOSURE AFFIDAVIT

IERRI	TORY OF GUAIN )		
HAGA	TNA, GUAM )		
I, under	signed,(partner or officer o	, being first duly	sworn, deposes and says:
1.	That the name of each person wh	o owns or has owned an ownership interest in th (10%) at any time during the twelve (12) month p	
	Name	Street Address (Principal Place of Business)	Percentage of Shares Held
		Total percentage of shares:	
2.		n 1 who are artificial persons, the name of each p I person (a "second-tier owner") greater than twe e period are as follows:	nty-five percent (25%) at any
	Name	Street Address (Principal Place of Business)	Percentage of Shares Held
		Total percentage of shares:	
3.		n 2 who are artificial persons, the name of each p d-tier owner (a "third-tier owner") of forty-nine per as follows:	cent (49%) or more during
	<u>Name</u>	Street Address (Principal Place of Business)	Percentage of Shares Held
		Total percentage of shares:	
4.		n identified as an owner in Section 1-3 above, the performance of the prospective contract:	e natural person having the
	Name & Position	Street Address (Principal Place of Business)	Contact Information
	The natural person having the autotherwise control the performance	thority and power to remove and replace the desi e of the prospective contract:	gnated responsible person or
	Name & Position	Street Address (Principal Place of Business)	Contact Information
5.		e entitled a commission, gratuity or other compen lated to the Bid/RFP for which this Affidavit is sub	
	<u>Name</u>	<u>Address</u>	Amount of Commission, Gratuity, or other Compensation

6.	Persons who directly or indirectly participated in this solicitation, if government of Guam employees (or government of the United States employees, if federal funds are used in payment of the contract):		
	Name & Position	Street Address (Principal Place of Business)	Contact Information
	Further, affiant sayeth naught.		
	Date:	Signature of individual if bidder/offerd Proprietorship; Partner, if the bidder/offer Partnership Officer, if the bidder/offer corporation.	offeror is a
	Subscribe and sworn to before me	this day of	
	20	Notary Public In and for the Territory of G My Commission expires	uam

## NON-COLLUSION AFFIDAVIT

Guam	) )ss:	
Hagatna	)	
	I, first be	ing duly sworn, depose and say:
1.	That I am the of Declarant)	
	That I am the of	(Name of Bidding/RFP Company)
2.	not collusive or shame, that said bidder/o agreed, directly or indirectly, with any bid from bidding or submitting a proposal and sought by agreement or collusion, or comfix the bid of affiant or any other bidder, or element of said bid price, or of that of any GUAM POWER AUTHORITY or any personal college.	bidder, or to secure any advantage against the son interested in the proposed contract; and
3.	That all statements in said proposal or bid	
4.	§§3126(b).	Guam Administrative Rules and Regulations
		(Declarant)
SUBSCRIBED	AND SWORN to me before this	,
)Caal/		
)Seal(		
		Notary Public

# NO GRATUITIES OR KICKBACKS AFFIDAVIT

<u>AFFIDAVIT</u> (Offeror)	
TERRITORY OF GUAM	)
HAGATNA, GUAM	) SS:
	, being first duly sworn, deposes and says:
agents, subcontractors, or employ	ive of the Offeror, that neither I nor of the Offeror's officers, representatives ees has or have offered, given or agreed to give any government of Guam payment, gift, kickback, gratuity or offer of employment in connection with
	Signature of Individual if Proposer is a Sole Proprietorship;
	Partner, if the Proposer is a Partnership;
	Officer, if the Proposer is a Corporation
SUBCRIBED AND SWORN to be	ore me thisday of, 2025.
	Notary Public In and for the Territory of Guam My Commission Expires:

# ETHICAL STANDARDS AFFIDAVIT

AFFIDAVIT (Proposer)	
TERRITORY OF GUAM	M ) SS:
	, being first duly sworn, deposes and says:
That Offeror making to subcontractors, or en breach any of the eth	e foregoing Proposal, that neither he or nor of the Offeror's officers, representatives, agents loyees of the Offeror have knowingly influenced any government of Guam employee to all standards set forth in 5 GCA Chapter 5 Article 11, and promises that neither he nor any agent, subcontractor, or employee of Offeror will knowingly influence any government of
Guam employee to b	ach any ethical standard set for in 5 GCA Chapter 5 Article 11.
	Signature of Individual if Proposer is a Sole Proprietorship;
	Partner, if the Proposer is a Partnership;
	Officer, if the Proposer is a Corporation
SUBCRIBED AND S	ORN to before me thisday of, 2025.
	Notary Public In and for the Territory of Guam My Commission Expires:

Procurement No.:

#### DECLARATION RE-COMPLIANCE WITH U.S. DOL WAGE DETERMINATION

Nar	me of Offeror Company:		
	hereby certifies under penalty of perjury:		
	That I am (the offeror, a partner of the offeror, an officer of the offeror) making the bic proposal in the foregoing identified procurement;		
(2)	That I have read and understand the provisions of 5 GCA § 5801 and § 5802 which read:		
	§ 5801. Wage Determination Established.		
	In such cases where the government of Guam enters into contractual arrangements with a sole proprietorship, a partnership or a corporation ('contractor') for the provision of a service to the government of Guam, and in such cases where the contractor employs a person(s) whose purpose, in whole or in part, is the direct delivery of service contracted by the government of Guam, then the contractor shall pay such employee(s) in accordance with the Wage Determination for Guam and the Northern Mariana Islands issued and promulgated by the U.S. Department of Labor for such labor as is employed in the direct delivery of contract deliverables to the government of Guam.		
	The Wage Determination most recently issued by the U.S. Department of Labor at the time a contract is awarded to a contractor by the government of Guam shall be used to determine wages, which shall be paid to employees pursuant to this Article. Should any contract contain a renewal clause, then at the time of renewal adjustments, there shall be made stipulations contained in that contract for applying the Wage Determination, as required by this Article, so that the Wage Determination promulgated by the U.S. Department of Labor on a date most recent to the renewal date shall apply.		
	§ 5802. Benefits.		
	In addition to the Wage Determination detailed in this Article, any contract to which this Article applies shall also contain provisions mandating health and similar benefits for employees covered by this Article, such benefits having a minimum value as detailed in the Wage Determination issued and promulgated by the U.S. Department of Labor, and shall contain provisions guaranteeing a minimum of ten (10) paid holidays per annum per employee.		
(3)	That the offeror is in full compliance with 5 GCA § 5801 and § 5802, as may be applicable to the procurement referenced herein;		
	Signature of Individual if Proposer is a Sole Proprietorship;		
	Partner, if the Proposer is a Partnership;		
	Officer, if the Proposer is a Corporation		
SU	BCRIBED AND SWORN to before me thisday of, 2025.		
	Notary Public In and for the Territory of Guam My Commission Expires:		

Note: Contracts subject to the Service Contract Act are generally required to pay at least the applicable minimum wage rate required under Executive Order 14026.

The applicable Executive Order minimum wage rate will be adjusted annually. Additional information on contractor requirements and worker protections under the Executive Orders is available at www.dol.gov/whd/govcontracts.

States: Guam, Northern Marianas, Wake Island

Area: Guam Statewide Northern Marianas Statewide Wake Island Statewide

\*\*Fringe Benefits Required Follow the Occupational Listing\*\*

OCCUPATION CODE - TITLE	FOOTNOTE	RATE
01000 - Administrative Support And Clerical Occupations 01011 - Accounting Clerk I 01012 - Accounting Clerk II 01013 - Accounting Clerk III 01020 - Administrative Assistant 01035 - Court Reporter 01041 - Customer Service Representative I 01042 - Customer Service Representative II 01043 - Customer Service Representative III 01051 - Data Entry Operator I 01052 - Data Entry Operator II 01060 - Dispatcher, Motor Vehicle 01070 - Document Preparation Clerk 01090 - Duplicating Machine Operator 01111 - General Clerk II 01112 - General Clerk II 01113 - General Clerk III 01114 - Messenger Courier 01191 - Order Clerk I 01192 - Order Clerk I 01192 - Order Clerk II 01261 - Personnel Assistant (Employment) I 01262 - Personnel Assistant (Employment) II 01263 - Personnel Assistant (Employment) III 01260 - Personnel Assistant (Employment) III 01270 - Production Control Clerk 01290 - Rental Clerk 01300 - Scheduler, Maintenance 01311 - Secretary II 01312 - Secretary II 01313 - Secretary III 01320 - Service Order Dispatcher 01410 - Supply Technician 01420 - Survey Worker	14 16 19 17 13 14 19 11 11 11 12 12 14 16	4.85*** 5.67*** 18.64 23.15 18.86 4.06*** 7.22*** 3.28*** 4.49*** 18.86 5.02*** 2.37*** 3.50*** 5.15*** 21.02 2.00*** 18.86 21.02 25.27 1.10*** 5.86*** 18.86 21.02 25.27 1.10*** 5.86** 18.86 21.02 25.27 1.10*** 5.86** 18.86 21.02 25.27 1.10** 5.86**
01420 - Survey Worker 01460 - Switchboard Operator/Receptionist 01531 - Travel Clerk I 01532 - Travel Clerk II 01533 - Travel Clerk III 01611 - Word Processor I 01612 - Word Processor II 01613 - Word Processor III	19 16 19	0.98*** 5.02*** 5.85*** 18.26 5.02*** 6.86***

0/1/20, 10.0	00 Alvi	SAM.gov
05000 -	Automotive Service Occupations	
	- Automobile Body Repairer, Fiberglass	19.14
	- Automotive Electrician	17.97
	- Automotive Glass Installer - Automotive Worker	16.81***
	- Mobile Equipment Servicer	16.81*** 14.42***
	- Motor Equipment Metal Mechanic	19.14
	- Motor Equipment Metal Worker	16.81***
	- Motor Vehicle Mechanic	19.14
05220	- Motor Vehicle Mechanic Helper	13.20***
	- Motor Vehicle Upholstery Worker	15.64***
	- Motor Vehicle Wrecker	16.81***
	- Painter, Automotive - Radiator Repair Specialist	17.97 16.81***
	- Tire Repairer	12.98***
	- Transmission Repair Specialist	19.14
	Food Preparation And Service Occupations	
	- Baker	13.43***
07041	- Cook I	16.18***
	- Cook II	18.86
	- Dishwasher	10.00***
	- Food Service Worker - Meat Cutter	10.57*** 13.36***
	- Waiter/Waitress	9.89***
	Furniture Maintenance And Repair Occupations	3.03
	- Electrostatic Spray Painter	19.70
09040	- Furniture Handler	11.94***
	- Furniture Refinisher	19.70
	- Furniture Refinisher Helper	14.47***
	- Furniture Repairer, Minor	17.15*** 19.70
	- Upholsterer General Services And Support Occupations	19.76
11030	- Cleaner, Vehicles	10.49***
	- Elevator Operator	10.67***
	- Gardener	16.81***
	- Housekeeping Aide	10.67***
	- Janitor	10.67***
	- Laborer, Grounds Maintenance - Maid or Houseman	12.71*** 10.59***
	- Pruner	11.37***
	- Tractor Operator	15.39***
	- Trail Maintenance Worker	12.71***
	- Window Cleaner	11.92***
	Health Occupations	
	- Ambulance Driver	20.86
	- Breath Alcohol Technician	20.86
	- Certified Occupational Therapist Assistant - Certified Physical Therapist Assistant	28.62 28.62
	- Dental Assistant	18.79
	- Dental Hygienist	39.73
	- EKG Technician	31.60
	- Electroneurodiagnostic Technologist	31.60
	- Emergency Medical Technician	20.86
	- Licensed Practical Nurse I	18.65
	<ul><li>Licensed Practical Nurse II</li><li>Licensed Practical Nurse III</li></ul>	20.86 23.25
	- Medical Assistant	14.50***
	- Medical Laboratory Technician	18.93
12160	- Medical Record Clerk	14.97***
	- Medical Record Technician	17.77
	- Medical Transcriptionist	18.65
	- Nuclear Medicine Technologist	45.85
	- Nursing Assistant I	12.91*** 14.52***
	- Nursing Assistant II - Nursing Assistant III	15.85***
	- Nursing Assistant IV	17.79
	- Optical Dispenser	20.86
12236	- Optical Technician	18.65
	- Pharmacy Technician	15.49***
	- Phlebotomist	18.65
	- Radiologic Technologist	31.60
	- Registered Nurse I - Registered Nurse II	25.85 31.60
	- Registered Nurse II, Specialist	31.60
	- Registered Nurse III	38.24
	- Registered Nurse III, Anesthetist	38.24
	- Registered Nurse IV	45.85
	- Scheduler (Drug and Alcohol Testing)	25.85
	- Substance Abuse Treatment Counselor Information And Ants Occupations	25.85
	Information And Arts Occupations - Exhibits Specialist I	21.42
17011	EMIZOTES SPECIALISE I	21,42

orrizo, 10.50 Aivi	AFA	SAM.gov
13012 - Exhibits Specialist II		26.53
13013 - Exhibits Specialist III		32.45
13041 - Illustrator I		21.42
13042 - Illustrator II 13043 - Illustrator III		26.53
13047 - Librarian		32.45 29.38
13050 - Library Aide/Clerk		17.05***
13054 - Library Information Technology Systems		26.53
Administrator		
13058 - Library Technician		18.11
13061 - Media Specialist I		19.15
13062 - Media Specialist II 13063 - Media Specialist III		21.42 23.87
13071 - Photographer I		19.15
13072 - Photographer II		21.42
13073 - Photographer III		26.53
13074 - Photographer IV		32.45
13075 - Photographer V		39.27
13090 - Technical Order Library Clerk 13110 - Video Teleconference Technician		21.42 19.15
14000 - Information Technology Occupations		17.17
14041 - Computer Operator I		15.71***
14042 - Computer Operator II		17.22***
14043 - Computer Operator III		19.19
14044 - Computer Operator IV		21.33
14045 - Computer Operator V 14071 - Computer Programmer I	(see 1)	23.62 15.73***
14071 - Computer Programmer II	(see 1)	19.50
14073 - Computer Programmer III	(see 1)	23.84
14074 - Computer Programmer IV	(see 1)	
14101 - Computer Systems Analyst I	(see 1)	24.23
14102 - Computer Systems Analyst II	(see 1)	
14103 - Computer Systems Analyst III	(see 1)	15.71***
14150 - Peripheral Equipment Operator 14160 - Personal Computer Support Technician		21.33
14170 - System Support Specialist		21.24
15000 - Instructional Occupations		
15010 - Aircrew Training Devices Instructor (Non-		24.23
15020 - Aircrew Training Devices Instructor (Rate		29.32
15030 - Air Crew Training Devices Instructor (Pil 15050 - Computer Based Training Specialist / Inst		34.91 24.23
15060 - Educational Technologist	tructor.	31.17
15070 - Flight Instructor (Pilot)		34.91
15080 - Graphic Artist		20.47
15085 - Maintenance Test Pilot, Fixed, Jet/Prop		34.91
15086 - Maintenance Test Pilot, Rotary Wing		34.91
15088 - Non-Maintenance Test/Co-Pilot 15090 - Technical Instructor		34.91 17.67***
15095 - Technical Instructor/Course Developer		23.78
15110 - Test Proctor		15.70***
15120 - Tutor		15.70***
16000 - Laundry, Dry-Cleaning, Pressing And Related	d Occupations	
16010 - Assembler		11.60***
16030 - Counter Attendant 16040 - Dry Cleaner		11.60*** 13.23***
16070 - Finisher, Flatwork, Machine		11.60***
16090 - Presser, Hand		11.60***
16110 - Presser, Machine, Drycleaning		11.60***
16130 - Presser, Machine, Shirts		11.60***
16160 - Presser, Machine, Wearing Apparel, Laundr	^y	11.60***
16190 - Sewing Machine Operator		13.79*** 14.34***
16220 - Tailor 16250 - Washer, Machine		12.14***
19000 - Machine Tool Operation And Repair Occupation	ons	12.1
19010 - Machine-Tool Operator (Tool Room)		19.70
19040 - Tool And Die Maker		24.77
21000 - Materials Handling And Packing Occupations		
21020 - Forklift Operator		15.87***
21030 - Material Coordinator 21040 - Material Expediter		25.27 25.27
21050 - Material Handling Laborer		13.83***
21071 - Order Filler		10.67***
21080 - Production Line Worker (Food Processing)		15.87***
21110 - Shipping Packer		17.12***
21130 - Shipping/Receiving Clerk		17.12***
21140 - Store Worker I		17.46***
21150 - Stock Clerk 21210 - Tools And Parts Attendant		24.56 15.87***
21410 - Warehouse Specialist		15.87***
23000 - Mechanics And Maintenance And Repair Occupa	ations	
23010 - Aerospace Structural Welder		25.04

1120, 10.0		SAM.gov
23019	- Aircraft Logs and Records Technician	19.47
	- Aircraft Mechanic I	23.84
23022	- Aircraft Mechanic II	25.04
	- Aircraft Mechanic III	26.30
	- Aircraft Mechanic Helper	16.58***
	- Aircraft, Painter	22.39
	- Aircraft Servicer	19.47
	- Aircraft Survival Flight Equipment Technician	22.39
	- Aircraft Worker	21.03
	- Aircrew Life Support Equipment (ALSE) Mechanic	21.03
I 22002	Ainchau Life Cunnent Equipment (ALCE) Machanic	23.84
23092 II	- Aircrew Life Support Equipment (ALSE) Mechanic	23.04
	- Appliance Mechanic	19.70
	- Bicycle Repairer	15.81***
	- Cable Splicer	24.19
	- Carpenter, Maintenance	17.58***
	- Carpet Layer	18.43
	- Electrician, Maintenance	20.04
	- Electronics Technician Maintenance I	18.43
	- Electronics Technician Maintenance II	19.70
	- Electronics Technician Maintenance III	20.98
	- Fabric Worker	17.15***
	- Fire Alarm System Mechanic	17.12***
	- Fire Extinguisher Repairer	15.81***
	- Fuel Distribution System Mechanic	20.98
	- Fuel Distribution System Operator	15.81***
	- General Maintenance Worker	14.03***
	- Ground Support Equipment Mechanic	23.84
	- Ground Support Equipment Servicer	19.47
	- Ground Support Equipment Worker	21.03
	- Gunsmith I	15.81***
	- Gunsmith II	18.43
	- Gunsmith III	20.98
	- Heating, Ventilation And Air-Conditioning	20.22
Mechan		
23411	- Heating, Ventilation And Air Contidioning	21.51
Mechan	ic (Research Facility)	
	- Heavy Equipment Mechanic	20.66
23440	- Heavy Equipment Operator	18.87
23460	- Instrument Mechanic	20.98
	- Laboratory/Shelter Mechanic	19.70
23470	- Laborer	13.83***
23510	- Locksmith	19.70
23530	- Machinery Maintenance Mechanic	26.47
23550	- Machinist, Maintenance	20.98
23580	- Maintenance Trades Helper	11.87***
23591	- Metrology Technician I	20.98
23592	- Metrology Technician II	22.31
23593	- Metrology Technician III	23.62
23640	- Millwright	20.98
	- Office Appliance Repairer	19.46
23760	- Painter, Maintenance	18.74
	- Pipefitter, Maintenance	19.96
23810	- Plumber, Maintenance	18.75
	- Pneudraulic Systems Mechanic	20.98
	- Rigger	20.98
	- Scale Mechanic	18.43
	- Sheet-Metal Worker, Maintenance	20.80
	- Small Engine Mechanic	18.43
	- Telecommunications Mechanic I	20.98
	- Telecommunications Mechanic II	22.31
	- Telephone Lineman	22.68
	- Welder, Combination, Maintenance	19.96
	- Well Driller	21.13
	- Woodcraft Worker	20.98
	- Woodworker	15.81***
	Personal Needs Occupations	A.C. COMME
	- Case Manager	16.09***
	- Child Care Attendant	10.27***
	- Child Care Center Clerk	13.25***
	- Chore Aide	15.47***
	- Family Readiness And Support Services	16.09***
Coordi		16 17444
	- Homemaker	16.12***
	Plant And System Operations Occupations	22 70
	- Boiler Tender	22.79
	- Sewage Plant Operator	22.89 22.79
	- Stationary Engineer	15.72***
	- Vantilation Fallinmant landon	
	- Ventilation Equipment Tender - Water Treatment Plant Operator	22.89

0/1/23, 10.30 AIVI	SAM.gov
27000 - Protective Service Occupations	
27004 - Alarm Monitor	11.89***
27007 - Baggage Inspector	10.63***
27008 - Corrections Officer	14.59***
27010 - Court Security Officer	14.59***
27030 - Detection Dog Handler	11.89***
27040 - Detention Officer	14.59***
27070 - Firefighter	14.59***
27101 - Guard I	10.63***
27102 - Guard II	11.89***
27102 - Guard II 27131 - Police Officer I	14.59***
27131 - Police Officer II	16.21***
28000 - Recreation Occupations	10.21
28041 - Carnival Equipment Operator	13.68***
28042 - Carnival Equipment Operator  28042 - Carnival Equipment Repairer	14 05***
	14.95***
28043 - Carnival Worker	10.11***
28210 - Gate Attendant/Gate Tender	14.50***
28310 - Lifeguard	11.60***
28350 - Park Attendant (Aide)	16.21***
28510 - Recreation Aide/Health Facility Attendant	13.02***
28515 - Recreation Specialist	20.09
28630 - Sports Official	12.91***
28690 - Swimming Pool Operator	17.71***
29000 - Stevedoring/Longshoremen Occupational Services	
29010 - Blocker And Bracer	28.62
29020 - Hatch Tender	28.62
29030 - Line Handler	28.62
29041 - Stevedore I	26.63
29042 - Stevedore II	30.60
30000 - Technical Occupations	
30010 - Air Traffic Control Specialist, Center (HFO) (see 2)	46.07
30011 - Air Traffic Control Specialist, Station (HFO) (see 2)	
30012 - Air Traffic Control Specialist, Jeaning (HFO) (see 2)	
30021 - Archeological Technician I	18.41
	20.59
30022 - Archeological Technician II	
30023 - Archeological Technician III	25.51
30030 - Cartographic Technician	25.51
30040 - Civil Engineering Technician	25.51
30051 - Cryogenic Technician I	28.25
30052 - Cryogenic Technician II	31.21
30061 - Drafter/CAD Operator I	18.41
30062 - Drafter/CAD Operator II	20.59
30063 - Drafter/CAD Operator III	22.96
30064 - Drafter/CAD Operator IV	28.25
30081 - Engineering Technician I	17.32***
30082 - Engineering Technician II	19.44
30083 - Engineering Technician III	21.74
30084 - Engineering Technician IV	26.94
30085 - Engineering Technician V	32.95
30086 - Engineering Technician VI	39.86
30090 - Environmental Technician	25.51
30095 - Evidence Control Specialist	25.51
30210 - Laboratory Technician	22.96
30221 - Latent Fingerprint Technician I	28.25
30222 - Latent Fingerprint Technician II	31.21
30240 - Mathematical Technician	25.51
30361 - Paralegal/Legal Assistant I	21.15
30362 - Paralegal/Legal Assistant II	26.20
30363 - Paralegal/Legal Assistant III	32.04
30364 - Paralegal/Legal Assistant IV	38.76
30375 - Petroleum Supply Specialist	31.21
30390 - Photo-Optics Technician	25.51
30395 - Radiation Control Technician	31.21
30461 - Technical Writer I	25.51
30462 - Technical Writer II 30463 - Technical Writer III	31.21
	37.75
30491 - Unexploded Ordnance (UXO) Technician I	29.28
30492 - Unexploded Ordnance (UXO) Technician II	35.43
30493 - Unexploded Ordnance (UXO) Technician III	42.46
30494 - Unexploded (UXO) Safety Escort	29.28
30495 - Unexploded (UXO) Sweep Personnel	29.28
30501 - Weather Forecaster I	28.25
30502 - Weather Forecaster II	34.36
30620 - Weather Observer, Combined Upper Air Or (see 2)	22.96
Surface Programs	
30621 - Weather Observer, Senior (see 2)	25.51
31000 - Transportation/Mobile Equipment Operation Occupations	
31010 - Airplane Pilot	35.43
31020 - Bus Aide	8.97***
31030 - Bus Driver	12.75***
31043 - Driver Courier	10.53***

1/25, 10.36 AIVI	SAIVI.guv
31260 - Parking and Lot Attendant 31290 - Shuttle Bus Driver	9.91*** 12.48***
31310 - Taxi Driver	11.41***
31361 - Truckdriver, Light	11.50***
31362 - Truckdriver, Medium	12.48***
31363 - Truckdriver, Heavy	17.88
31364 - Truckdriver, Tractor-Trailer	17.88
99000 - Miscellaneous Occupations	
99020 - Cabin Safety Specialist	17.27***
99030 - Cashier	10.51***
99050 - Desk Clerk	10.13***
99095 - Embalmer	29.28
99130 - Flight Follower	29.28
99251 - Laboratory Animal Caretaker I	26.81
99252 - Laboratory Animal Caretaker II	29.29
99260 - Marketing Analyst	21.54
99310 - Mortician	29.28
99410 - Pest Controller	16.07***
99510 - Photofinishing Worker	15.39***
99710 - Recycling Laborer	19.05
99711 - Recycling Specialist	25.72
99730 - Refuse Collector	18.04
99810 - Sales Clerk	11.36***
99820 - School Crossing Guard	19.81
99830 - Survey Party Chief	24.38
99831 - Surveying Aide	13.87***
99832 - Surveying Technician	18.02
99840 - Vending Machine Attendant	26.81
99841 - Vending Machine Repairer	34.14
99842 - Vending Machine Repairer Helper	26.81

\*\*\*Workers in this classification may be entitled to a higher minimum wage under Executive Order 14026 (\$17.75 per hour). Please see the Note at the top of the wage determination for more information. Please also note that the minimum wage requirements of Executive Order 14026 are not currently being enforced as to contracts or contract-like instruments entered into with the federal government in connection with seasonal recreational services or seasonal recreational equipment rental for the general public on federal lands. The minimum wage requirements of Executive Order 14026 also are not currently being enforced as to any contract or subcontract to which the states of Texas, Louisiana, or Mississippi, including their agencies, are a party.

#### ALL OCCUPATIONS LISTED ABOVE RECEIVE THE FOLLOWING BENEFITS:

<code>HEALTH & WELFARE: \$5.55 per hour, up to 40 hours per week, or \$222.00 per week or \$962.00 per month</code>

HEALTH & WELFARE EO 13706: \$5.09 per hour, up to 40 hours per week, or \$203.60 per week, or \$882.27 per month\*

\*This rate is to be used only when compensating employees for performance on an SCA-covered contract also covered by EO 13706, Establishing Paid Sick Leave for Federal Contractors. A contractor may not receive credit toward its SCA obligations for any paid sick leave provided pursuant to EO 13706.

VACATION: 2 weeks paid vacation after 1 year of service with a contractor or successor; and 4 weeks after 3 years. Length of service includes the whole span of continuous service with the present contractor or successor, wherever employed, and with the predecessor contractors in the performance of similar work at the same Federal facility. (Reg. 29 CFR 4.173)

HOLIDAYS: A minimum of eleven paid holidays per year: New Year's Day, Martin Luther King Jr.'s Birthday, Washington's Birthday, Memorial Day, Juneteenth National Independence Day, Independence Day, Labor Day, Columbus Day, Veterans' Day, Thanksgiving Day, and Christmas Day. (A contractor may substitute for any of the named holidays another day off with pay in accordance with a plan communicated to the employees involved.) (See 29 CFR 4.174)

THE OCCUPATIONS WHICH HAVE NUMBERED FOOTNOTES IN PARENTHESES RECEIVE THE FOLLOWING:

1) COMPUTER EMPLOYEES: This wage determination does not apply to any individual employed in a bona fide executive, administrative, or professional capacity, as defined in 29 C.F.R. Part 541. (See 41 C.F.R. 6701(3)). Because most Computer Systems Analysts and Computer Programmers who are paid at least \$27.63 per hour (or

at least \$684 per week if paid on a salary or fee basis) likely qualify as exempt computer professionals under 29 U.S.C. 213(a)(1) and 29 U.S.C. 213(a)(17), this wage determination may not include wage rates for all occupations within those job families. In such instances, a conformance will be necessary if there are nonexempt employees in these job families working on the contract.

Job titles vary widely and change quickly in the computer industry, and are not determinative of whether an employee is an exempt computer professional. To be exempt, computer employees who satisfy the compensation requirements must also have a primary duty that consists of:

- The application of systems analysis techniques and procedures, including consulting with users, to determine hardware, software or system functional specifications;
- (2) The design, development, documentation, analysis, creation, testing or modification of computer systems or programs, including prototypes, based on and related to user or system design specifications;
- (3) The design, documentation, testing, creation or modification of computer programs related to machine operating systems; or
- (4) A combination of the aforementioned duties, the performance of which requires the same level of skills. (29 C.F.R. 541.400).

Any computer employee who meets the applicable compensation requirements and the above duties test qualifies as an exempt computer professional under both section 13(a)(1) and section 13(a)(17) of the Fair Labor Standards Act. (Field Assistance Bulletin No. 2006-3 (Dec. 14, 2006)). Accordingly, this wage determination will not apply to any exempt computer employee regardless of which of these two exemptions is utilized.

2) AIR TRAFFIC CONTROLLERS AND WEATHER OBSERVERS - NIGHT PAY & SUNDAY PAY: If you work at night as part of a regular tour of duty, you will earn a night differential and receive an additional 10% of basic pay for any hours worked between 6pm and 6am. If you are a full-time employed (40 hours a week) and Sunday is part of your regularly scheduled workweek, you are paid at your rate of basic pay plus a Sunday premium of 25% of your basic rate for each hour of Sunday work which is not overtime (i.e. occasional work on Sunday outside the normal tour of duty is considered overtime work).

#### \*\* HAZARDOUS PAY DIFFERENTIAL \*\*

An 8 percent differential is applicable to employees employed in a position that represents a high degree of hazard when working with or in close proximity to ordnance, explosives, and incendiary materials. This includes work such as screening, blending, dying, mixing, and pressing of sensitive ordnance, explosives, and pyrotechnic compositions such as lead azide, black powder and photoflash powder. All dry-house activities involving propellants or explosives. Demilitarization, modification, renovation, demolition, and maintenance operations on sensitive ordnance, explosives and incendiary materials. All operations involving re-grading and cleaning of artillery ranges.

A 4 percent differential is applicable to employees employed in a position that represents a low degree of hazard when working with, or in close proximity to ordnance, (or employees possibly adjacent to) explosives and incendiary materials which involves potential injury such as laceration of hands, face, or arms of the employee engaged in the operation, irritation of the skin, minor burns and the like; minimal damage to immediate or adjacent work area or equipment being used. All operations involving, unloading, storage, and hauling of ordnance, explosive, and incendiary ordnance material other than small arms ammunition. These differentials are only applicable to work that has been specifically designated by the agency for ordnance, explosives, and incendiary material differential pay.

#### \*\* UNIFORM ALLOWANCE \*\*

If employees are required to wear uniforms in the performance of this contract (either by the terms of the Government contract, by the employer, by the state or local law, etc.), the cost of furnishing such uniforms and maintaining (by laundering or dry cleaning) such uniforms is an expense that may not be borne by an employee where such cost reduces the hourly rate below that required by the wage determination. The Department of Labor will accept payment in accordance with the following standards as compliance:

The contractor or subcontractor is required to furnish all employees with an adequate number of uniforms without cost or to reimburse employees for the actual cost of the uniforms. In addition, where uniform cleaning and maintenance is made the responsibility of the employee, all contractors and subcontractors subject to this wage determination shall (in the absence of a bona fide collective bargaining agreement providing for a different amount, or the furnishing of contrary

affirmative proof as to the actual cost), reimburse all employees for such cleaning and maintenance at a rate of \$3.35 per week (or \$.67 cents per day). However, in those instances where the uniforms furnished are made of ""wash and wear"" materials, may be routinely washed and dried with other personal garments, and do not require any special treatment such as dry cleaning, daily washing, or commercial laundering in order to meet the cleanliness or appearance standards set by the terms of the Government contract, by the contractor, by law, or by the nature of the work, there is no requirement that employees be reimbursed for uniform maintenance costs.

#### \*\* SERVICE CONTRACT ACT DIRECTORY OF OCCUPATIONS \*\*

The duties of employees under job titles listed are those described in the ""Service Contract Act Directory of Occupations"", Fifth Edition (Revision 1), dated September 2015, unless otherwise indicated.

\*\* REQUEST FOR AUTHORIZATION OF ADDITIONAL CLASSIFICATION AND WAGE RATE, Standard Form 1444 (SF-1444) \*\*

#### Conformance Process:

The contracting officer shall require that any class of service employee which is not listed herein and which is to be employed under the contract (i.e., the work to be performed is not performed by any classification listed in the wage determination), be classified by the contractor so as to provide a reasonable relationship (i.e., appropriate level of skill comparison) between such unlisted classifications and the classifications listed in the wage determination (See 29 CFR 4.6(b)(2)(i)). Such conforming procedures shall be initiated by the contractor prior to the performance of contract work by such unlisted class(es) of employees (See 29 CFR 4.6(b)(2)(ii)). The Wage and Hour Division shall make a final determination of conformed classification, wage rate, and/or fringe benefits which shall be paid to all employees performing in the classification from the first day of work on which contract work is performed by them in the classification. Failure to pay such unlisted employees the compensation agreed upon by the interested parties and/or fully determined by the Wage and Hour Division retroactive to the date such class of employees commenced contract work shall be a violation of the Act and this contract. (See 29 CFR 4.6(b)(2)(v)). When multiple wage determinations are included in a contract, a separate SF-1444 should be prepared for each wage determination to which a class(es) is to be conformed.

The process for preparing a conformance request is as follows:

- 1) When preparing the bid, the contractor identifies the need for a conformed occupation(s) and computes a proposed rate(s).
- 2) After contract award, the contractor prepares a written report listing in order the proposed classification title(s), a Federal grade equivalency (FGE) for each proposed classification(s), job description(s), and rationale for proposed wage rate(s), including information regarding the agreement or disagreement of the authorized representative of the employees involved, or where there is no authorized representative, the employees themselves. This report should be submitted to the contracting officer no later than 30 days after such unlisted class(es) of employees performs any contract work.
- 3) The contracting officer reviews the proposed action and promptly submits a report of the action, together with the agency's recommendations and pertinent information including the position of the contractor and the employees, to the U.S. Department of Labor, Wage and Hour Division, for review (See 29 CFR 4.6(b)(2)(ii)).
- 4) Within 30 days of receipt, the Wage and Hour Division approves, modifies, or disapproves the action via transmittal to the agency contracting officer, or notifies the contracting officer that additional time will be required to process the request.
- 5) The contracting officer transmits the Wage and Hour Division's decision to the contractor.
- 6) Each affected employee shall be furnished by the contractor with a written copy of such determination or it shall be posted as a part of the wage determination (See  $29 \ \text{CFR } 4.6(b)(2)(iii)$ ).

Information required by the Regulations must be submitted on SF-1444 or bond paper.

When preparing a conformance request, the ""Service Contract Act Directory of Occupations"" should be used to compare job definitions to ensure that duties requested are not performed by a classification already listed in the wage determination. Remember, it is not the job title, but the required tasks that determine whether a class is included in an established wage determination. Conformances may not be used to artificially split, combine, or subdivide classifications listed in the wage determination (See 29 CFR 4.152(c)(1))."

# **SPECIAL PROVISIONS**

Restriction Against Sex Offenders Employed by Service Providers to Government of Guam from Working on Government of Guam Property

GCA 5 §5253 Restriction Against Contractors Employing Convicted Sex Offenders from Working at Government of Guam Venues:

- (a) No person convicted of a sex offense under the provisions of Chapter 25 of Title 9 Guam Code Annotated, or an offense as defined in Article 2 of Chapter 28, Title 9 GCA in Guam, or an offense in any jurisdiction which includes, at a minimum, all of the elements of said offenses, or who is listed on the Sex Offender Registry, and who is employed by a business contracted to perform services for an agency or instrumentality of the government of Guam, shall work for his employer on the property of the Government of Guam other than public highway.
- (b) All contracts for services to agencies listed herein shall include the following provisions: (1) warranties that no person providing services on behalf of the contractor has been convicted of a sex offense under the provisions of Chapter 25 of Title 9 GCA or an offense as defined in Article 2 of Chapter 28, Title 9 GCA, or an offense in another jurisdiction with, at a minimum, the same elements as such offenses, or who is listed on the Sex Offender Registry; and (2) that if any person providing services on behalf of the contractor is convicted of a sex offense under the provisions of Chapter 25 of Title 9 GCA or an offense as defined in Article 2 of Chapter 28, Title 9 GCA or an offense in another jurisdiction with, at a minimum, the same elements as such offenses, or who is listed on the Sex Offender Registry, that such person will be immediately removed from working at said agency and that the administrator of said agency be informed of such within twenty-four (24) hours of such conviction.
- (c) Duties of the General Services Agency or Procurement Administrators. All contracts, bids, or Requests for Proposals shall state all the conditions in § 5253(b).
- (d) Any contractor found in violation of § 5253(b), after notice from the contracting authority of such violation, shall, within twenty-four (24) hours, take corrective action and shall report such action to the contracting authority. Failure to take corrective action within the stipulated period may result in the temporary suspension of the contract at the discretion of the contracting authority.

SOURCE: Added by P.L. 28-024:2 ((Apr. 21, 2005). Amended by P.L. 28-098:2 (Feb. 7, 2006).

	Signature of Bidder	Date
	Proposer, if an individ Partner, if a partnersh Officer, if a corporation	ip;
Subscribed and sworn before me this	day of	, 2025.
Notary Public		

CITY OF)
) SS. ISLAND OF GUAM )  Letter name of afficult algoring below! being first duly
[state name of affiant signing below] being first duly sworn, deposes and says that:
The name of the offering company or individual is [state name of company]
2. As a part of the offering company's bid or proposal, to the best of my knowledge, the offering company has not retained any person or agency on a percentage, commission, or other contingent arrangement to secure this contract. This statement is made pursuant to 2 GAR Division 4 11108(f).
<ol> <li>As a part of the offering company's bid or proposal, to the best of my knowledge, the offering company has not retained a person to solicit or secure a contract with the government of Guam upon an agreement or understanding for a commission, percentage, brokerage, or contingent fee, except for retention of bona fide employees or bona fide established commercial selling agencies for the purpose of securing business. This statement is made pursuant to 2 GAR Division 4 11108(h).</li> <li>I make these statements on behalf of myself as a representative of the offeror, and on behalf</li> </ol>
of the offeror's officers, representatives, agents, subcontractors, and employees.
Cignature of one of the following:
Signature of one of the following: Offeror, if the offeror is an individual; Partner, if the offeror is a partnership; Officer, if the offeror is a corporation.
Subscribed and sworn to before me
this day of, 2025.
NOTARY PUBLIC My commission expires



# GUAM POWER AUTHORITY

ATURIDÅT ILEKTRESEDÅT GUÅHAN P.O.BOX 2977 • HAGÅTÑA, GUAM U.S.A. 96932-2977

Lourdes A. Leon Guerrero I Maga 'håga

Telephone Nos. (671) 648-3045/55 Fax: 648-3165

Joshua F. Tenorio I Sigundo Maga 'låhi

Accountability Impartiality Competence Openness Value

# LOCAL PROCUREMENT PREFERENCE APPLICATION

Based on the law stipulated below, please place a checkmark or an "X" on the block indicating the item that applies to your business:

5GCA, Chapter 5, Section 5008, "Policy in Favor of Local Procurement" of the Guam Procurement Law states:

All procurement of supplies and services shall be made from among businesses licensed to do business on Guam and that maintains an office or other facility on Guam, whenever a business

- that is willing to be a contractor is: ( ) A licensed bonafide manufacturing business that adds at least twenty-five percent (25%) (a) of the value of an item, not to include administrative overhead, suing workers who are U.S. Citizens or lawfully admitted permanent residents or nationals of the United States. or persons who are lawfully admitted to the United States to work, based on their former citizenship in the Trust Territory for the Pacific Islands; or A business that regularly carries an inventory for regular immediate sale of at least fifty ( ) (b) percent (50%) of the items of supplies to be procured; or A business that has a bonafide retail or wholesale business location that regularly ( ) (c) carries an inventory on Guam of a value of at least one half of the value of the bid or One Hundred Fifty Thousand Dollars (\$150,000.0) whichever is less, of supplies and items of a similar nature to those being sought; or ( ) \*(d) A service actually in business, doing a substantial business on Guam, and hiring at least 95% U.S. Citizens, lawfully admitted permanent residents or national of the United States, or persons who lawfully admitted to the United States to work, based on their citizenship in any of the nations previously comprising the Trust Territory of the Pacific Islands. Bidders indicating qualification under (d) may be considered QUALIFIED for the Local Procurement Preference only if the Government's requirement is for service. Service is defined Pursuant to 5 GCA Government Operations Subparagraph 5030 entitled DEFINITIONS under Chapter 5 of the Guam Procurement Law. , representative for 1. I have read the requirements of the law cited above and do hereby qualify and elect to be given the LOCAL PROCUREMENT PREFERENCE for Bid No.: GPA
  - By filling in this information and placing my signature below, I understand that the Guam Power Authority will review this application and provide me with a determination whether or not the 15% preference will be applied to this bid. 2. I . representative for

have read the requirements of the law cited above Procurement Preference for Bid No.: GPA	ve, and do not wish to apply for the Loc
	Bidder Representative Signature

Date

NOTF:

Prospective Bidders not completing this form will automatically be not considered for Local Procurement Preference. Non-completion of this form is not a basis for rejection of the bid or proposal.

## **GENERAL TERMS AND CONDITIONS**

#### SEALED BID SOLICITATION AND AWARD

# Only those Boxes checked below are applicable to this bid.

- [X] 1. **AUTHORITY:** This solicitation is issued subject to all the provision of the Guam Procurement Act (5GCA, Chapter 5) And the Guam Procurement Regulations (copies of both are available at the Office of the Complier of laws, Department of Law, copies available for inspection at the Guam Power Authority). It requires all parties involved in the Preparation, negotiation, performance, or administration of contracts to act in good faith.
- [ X ] 2. **GENERAL INTENTION**: Unless otherwise specified, it is the declared and acknowledged intention and meaning of these General Terms and conditions for the bidder to provide the Government of Guam (Government) with specified services or with materials, supplies or equipment completely assembled and ready for use.
- [ X ] 3. **TAXES**: Bidders are cautioned that they are subject to Guam Income Taxes as well as all other taxes on Guam Transactions. Specific information on taxes may be obtained from the Director of Revenue and Taxation.
- [X] 4. **LICENSING**: Bidders are cautioned that the Government will not consider for award any offer submitted by a bidder who has not complied with the Guam Licensing Law. Specific information on licenses may be obtained from the Director of Revenue and Taxation.
- [X] 5. LOCAL PROCUREMENT PREFERENCE: All procurement of supplies and services where possible, will be made from among businesses licensed to do business on Guam in accordance with section 5008 of the Guam Procurement Act (5GCA, Chapter 5) and Section 1-104 of the Guam Procurement Regulations.
- [ X ] 6. **COMPLIANCE WITH SPECIFICATIONS AND OTHER SOLICITATION REQUIREMENTS**: Bidders shall comply with all specifications and other requirements of the Solicitation.
- [ ] 7. "ALL OR NONE" BIDS: Unless otherwise allowed under this Solicitation. "all or none" bids may be deemed to be non-responsive. If the bid is so limited, the Government may reject part of such proposal and award on the remainder.
  - **NOTE**: By checking this item, the Government is requesting all of the bid items to be bided or none at all. **The Government will not award on an itemized basis**. Reference: Section 3-101.06 of the Guam Procurement Regulations.
- [X] 8. INDEPENDENT PRICE DETERMINATION: The bidder, upon signing the Invitation for Bid, certifies that the prices in his bid were derived at without collusion, and acknowledge that collusion and anti-competitive practices are prohibited by law. Violations will be subject to the provision of Section 5651 of that of the Guam Procurement Act. Other existing civil, criminal or administrative remedies are not impaired and may be in addition to the remedies in Section 5651 of the Government code.
- [X] 9. **BIDDER'S PRICE**: The Government will consider not more than two (2) (Basic and Alternate) item prices and the bidder shall explain fully each price if supplies, materials, equipment, and/or specified services offered comply with specifications and the products origin. Where basic or alternate bid meets the minimum required specification, cost and other factors will be considered. Failure to explain this requirement will result in rejection of the bid.
- [ X ] 10. **BID ENVELOPE**: Envelope shall be sealed and marked with the bidder's name, Bid number, time, date and place of Bid Opening.
- [X] 11. BID GUARANTEE REQUIREMENT: Bidder is required to submit a Bid Guarantee Bond or standby irrevocable Letter of Credit or Certified Check or Cashier's Check in the same bid envelope to be held by the Government pending award. The Bid Guarantee Bond, Letter of Credit, Certified Check or Cashier's Check must be issued by any local surety or banking institution licensed to do business on Guam and made payable to the Guam Power Authority in the amount of fifteen percent (15%) of his highest total bid offer. The Bid Bond must be submitted on Government Standard Form BB-1 (copy enclosed). Personal Checks will not be accepted as Bid Guarantee. If a successful Bidder (contractor) withdraws from the bid or fails to enter into contract within the prescribed time, such Bid guarantee will be forfeited to the Government of Guam. Bids will be disqualified if not accompanied by Bid Bond, Letter of Credit, Certified Check or Cashier's check. Bidder must include in his/her bid, valid copies of a Power of Attorney from the Surety and a Certificate of Authority from the Government of Guam to show proof that the surety company named on the bond instrument is authorized by the Government of Guam and qualified to do business on Guam. For detailed information on bonding matters, contact the Department of Revenue and Taxation. Failure to submit a valid Power of Attorney and Certificate of Authority on the surety is cause for rejection of bid. (GPR Section 3-202.03.3) Pursuant to Public Law 27-127, all competitive sealed bidding for the procurement of supplies or services exceeding \$25,000.00 a 15% Bid Security of the total bid price must accompany the bid package.
- [X] 12. PERFORMANCE BOND REQUIREMENT: The Bidder may be required to furnish a Performance Bond on Government Standard Form BB-1 or standby irrevocable Letter of Credit or Certified Check or Cashier's Check payable to the Guam Power Authority issued by any of the local Banks or Bonding Institution in the amount equal to FIFTEEN PERCENT (15%) of the contract prices as security for the faithful performance and proper fulfillment of the contract. In the event that any of the provisions of this contract are violated by the contractor, the Chief Procurement Officer shall serve written notice upon both the contractor and the Surety of its intention to terminate the contract. Unless satisfactory arrangement or correction is made within ten (10) days of such notice the contract shall cease and terminate upon the expiration of the ten (10) days. In the event of any such termination, the Chief Procurement Officer shall immediately serve notice thereof upon the Surety. The Surety shall have the right to take over and perform the contract, provided, however, that if the Surety does not commence performance thereof within

10 days from the date of the mailing of notice of termination, the Government may take over and prosecute the same 48 of 53 to complete the contract or force account for the to complete the contract or force account for the account and at the expense of the contractor, and the contractor and his Surety shall be liable to the Government for any excess cost occasioned the Government thereby (GPR Section 3-202.03.4).

- [X] 13. PERFORMANCE GUARANTEE: Bidders who are awarded a contract under this solicitation, guarantee that goods will be delivered or required services performed within the time specified. Failure to perform the contract in a satisfactory manner may be cause for suspension or debarment from doing business with the Government and to enforce Section 23 of these General Terms and Conditions. In addition, the Government will hold the Vendor liable and will enforce the requirements as set forth in Section 41 of these General Terms and Conditions.
- [X] 14. SURETY BONDS: Bid and Performance Bonds coverage must be signed or countersigned in Guam by a foreign or alien surety's resident general agent. The surety must be an Insurance Company, authorized by the government of Guam and qualified to do business in Guam. Bids will be disqualified if the Surety Company does not have a valid Certificate of Authority from the Government of Guam to conduct business in Guam.
- [X] 15. COMPETENCY OF BIDDERS: Bids will be considered only from the such bidders who, in the opinion of the Government, can show evidence of their ability, experience, equipment, and facilities to render satisfactory service.
- [X] 16. **DETERMINATION OF RESPONSIBILITY OF BIDDERS**: The Chief Procurement Officer reserves the right for securing from bidders information to determine whether or not they are responsible and to inspect plant site, place of business; and supplies and services as necessary to determine their responsibility in accordance with Section 15 of these General Terms and Conditions (GPR Section 3-401).
- [X] 17. STANDARD FOR DETERMINATION OF LOWEST RESPONSIBLE BIDDER: In determining the lowest responsible offer, the Chief Procurement Officer shall be guided by the following:
  - Price of items offered.
  - The ability, capacity, and skill of the Bidder to perform. b)
  - Whether the Bidder can perform promptly or within the specified time. c)
  - The quality of performance of the Bidder with regards to awards previously made to him.
  - The previous and existing compliance by the Bidder with laws and regulations relative to procurement.
  - The sufficiency of the financial resources and ability of the Bidder to perform.
  - The ability of the bidder to provide future maintenance and services for the subject of the award. g)
  - The compliance with all of the conditions to the Solicitation.
- [ X ] 18. TIE BIDS: If the bids are for the same unit price or total amount in the whole or in part, the Chief Procurement Officer will determine award based on Section 3.202.15.2, or to reject all such bids (GPR Section 3-202.15.2).
- [ ] 19. BRAND NAMES: Any reference in the Solicitation to manufacturer's Brand Names and number is due to lack of a satisfactory specification of commodity description. Such preference is intended to be descriptive, but nor restrictive and for the sole purpose of indicating prospective bidders a description of the article or services that will be satisfactory. Bids on comparable items will be considered provided the bidder clearly states in his bid the exact articles he is offering and how it differs from the original specification.
- [ X ] 20. **DESCRIPTIVE LITERATURE**: Descriptive literature(s) as specified in this solicitation must be furnished as a part of the bid and must be received at the date and time set for opening Bids. The literature furnished must clearly identify the item(s) in the Bid. The descriptive literature is required to establish, for the purpose of evaluation and award, details of the product(s) the bidder proposes to furnish including design, materials, components, performance characteristics, methods of manufacture, construction, assembly or other characteristics which are considered appropriate. Rejection of the Bid will be required if the descriptive literature(s) do not show that the product(s) offered conform(s) to the specifications and other requirements of this solicitation. Failure to furnish the descriptive literature(s) by the time specified in the Solicitation will require rejection of the bid.
- [ ] 21. SAMPLES: Sample(s) of item(s) as specified in this solicitation must be furnished as a part of the bid and must be received at the date and time set for opening Bids. The sample(s) should represent exactly what the bidder proposes to furnish and will be used to determine if the item(s) offered complies with the specifications. Rejection of the Bid will be required if the sample(s) do not show that the product(s) offered conform(s) to the specifications and other requirements of this solicitation. Failure to furnish the sample(s) by the time specified in the Solicitation will require rejection of the Bid.
- [ ] 22. LABORATORY TEST: Successful bidder is required to accompany delivery of his goods with a Laboratory Test Report indicating that the product he is furnishing the Government meets with the specifications. This report is on the bidder's account and must be from a certified Testing Association.
- [X] 23. AWARD, CANCELLATION, & REJECTION: Award shall be made to the lowest responsible and responsive bidder, whose bid is determined to be the most advantageous to the Government, taking into consideration the evaluation factors set forth in this solicitation. No other factors or criteria shall be used in the evaluation. The right is reserved as the interest of the Government may require to waive any minor irregularity in bid received. The Chief Procurement Officer shall have the authority to award, cancel, or reject bids, in whole or in part for any one or more items if he determines it is in the public interest. Award issued to the lowest responsible bidder within the specified time for acceptance as indicated in the solicitation, results in a bidding contract without further action by either party. In case of an error in the extension of prices, unit price will govern. It is the policy of the Government to award contracts to qualified local bidders. The government reserves the right to increase or decrease the quantity of the items for award and make additional awards for the same type items and the vendor agrees to such modifications and additional awards based on the bid prices for a period of thirty (30) days after original award. No. award shall be made under this solicitation which shall require advance payment or irrevocable letter of credit from the government (GPR Section 3-202.14.1).

- [X] 24. MARKING: Each outside container shall be marked with the Purchase Order number, item number, brief term description and quantity. Letter marking shall not be less than 3/4" in height.
- [X] 25. SCHEDULE FOR DELVERY: Successful bidder shall notify the Guam Power Authority, Dededo Warehouse at (671) 653-2073, Information Technology Division at (671) 648-3060, GPA Transportation Supply at (671) 300-8318 and/or Guam Power Authority Cabras Warehouse at (671) 475-3319 at least twenty-four (24) hours before delivery of any item under this solicitation.
- [ ] 26. **BILL OF SALE**: Successful supplier shall render Bills of Sale for each item delivered under this contract. Failure to comply with this requirement will result in rejection of delivery. The Bill of Sale must accompany the items delivered but will not be considered as an invoice for payment. Supplier shall bill the Government in accordance with billing instructions as indicated on the Purchase Order.
- [ ] 27. MANUFACTURER'S CERTIFICATE: Successful bidder is required, upon delivery of any item under this contract, to furnish a certificate from the manufacturer indication that the goods meet the specifications. Failure to comply with this request will result in rejection of delivery payment. Supplier shall bill the Government in accordance with billing instructions as indicated on the Purchase Order.
- [X] 28. **INSPECTION**: All supplies, materials, equipment, or services delivered under this contract shall be subject to the inspection and/or test conducted by the Government at destination. If in any case the supplies, materials, equipment, or services are found to be defective in material, workmanship, performance, or otherwise do not conform with the specifications, the Government shall have the right to reject the items or require that they be corrected. The number of days required for correction will be determined by the Government.
- [ ] 29. MOTOR VEHICLE SAFETY REQUIREMENTS: The Government will only consider Bids on motor vehicles which comply with the requirements of the National Traffic and Motor Vehicle safety Act of 1966 (Public Law 89-563) and Clean Air Act as amended (Public Law 88-206), that are applicable to Guam. Bidders shall state if the equipment offered comply with these aforementioned Federal Laws.
- [ ] 30. **SAFETY INSPECTION**: All motor vehicles delivered under this contract must pass the Government of Guam Vehicle Inspection before delivery at destination.
- [ ] 31. GUARANTEE:

## a) Guarantee of Vehicle Type of Equipment:

The successful bidder shall guarantee vehicular type of equipment offered against defective parts, workmanship, and performance, for a period of not less than one (1) year after date of receipt of equipment. Bidder shall also provide service to the equipment for at least one (1) year. Service to be provided shall include, but will not be limited to tune ups (change of spark plugs, contact points and condensers) and lubrication (change of engine and transmission oil). All parts and labor shall be at the expense of the bidder. All parts found defective and not caused by misuse, negligence or accident within the guarantee period shall be repaired, replaced, or adjusted within six (6) working days after notice from the Government and without cost to the Government. Vehicular type of equipment as used in this context shall include equipment used for transportation as differentiated from tractors, backhoes, etc. b) **Guarantee of Other Type of Equipment**:

The successful bidder shall guarantee all other types of equipment offered, except those mentioned in 31a, above, against defective parts, workmanship, and performance for a period of not less than three (3) months after date of receipt of equipment. Bidder shall also provide service to the equipment for at least three (3) months. All parts found defective within that period shall be repaired or replaced by the Contractor without cost to the Government. Repairs, adjustments or replacements of defective parts shall be completed by the contractor within six (6) working days after notice from the Government.

- c) Compliance with this Section is a condition of this Bid.
- [X] 32. REPRESENTATION REGARDING ETHICS IN PUBLIC PROCUREMENT: The bidder or contractor represents that it has not knowingly influenced and promises that it will not knowingly influence a Government employee to breach any of the ethical standards and represents that it has not violated, is not violating, and promises that it will not violate the prohibition against gratuities and kickbacks set forth on Chapter 11 (Ethics in Public Contracting) of the Guam Procurement Act and in Chapter 11 of the Guam Procurement Regulations.
- [ X ] 33. **REPRESENTATION REGARDING CONTINGENT FEES**: The contractor represents that it has not retained a person to solicit or secure a Government contract upon an agreement or understanding for a commission, percentage, brokerage, or contingent fee, except for retention of bona fide employees or bona fide established commercial selling agencies for the purpose of securing business (GPR Section 11-207).
- [ X ] 34. EQUAL EMPLOYMENT OPPORTUNITY: Contractors shall not discriminate against any employee or applicant of employment because of race, color, religion, se, or national origin. The contractor will take affirmative action to ensure that employees are treated equally during employment without regards to their race, color, religion, sex, or national origin.
- [ X ] 35. **COMPLIANCE WITH LAWS**: Bidders awarded a contract under this Solicitation shall comply with the applicable standard, provisions, and stipulations of all pertinent Federal and/or local laws, rules, and regulations relative to the performance of this contract and the furnishing of goods.
- [ X ] 36. **CHANGE ORDER**: Any order issued relative to awards made under this solicitation will be subject to and in accordance with the provisions of Section 6-101-03.1 of the Guam Procurement Regulations.
- [ X ] 37. **STOP WORK ORDER**: Any stop work order issued relative to awards made under this solicitation will be subject to and in accordance with the provisions of Section 6-101-04.1 of the Guam Procurement Regulations.

- [ X ] 38. **TERMINATION FOR CONVENIENCE**: Any termination order for the convenience of the Government issued relative towards made under this solicitation will be subject to and in accordance with the provisions of Section 6-101.10 of the Government Procurement Regulations.
- [ X ] 39. **TIME FOR COMPLETION**: It is hereby understood and mutually agreed by and between the contractor and the Government that the time for delivery to final destination or the timely performance of certain services is an essential condition of this contract. If the contractor refuses or fails to perform any of the provisions of this contract within the time specified in the Purchase Order (from the date Purchase Order is acknowledged by vendor), then the contractor is in default. Defaults will be treated subject to and in accordance with the provisions of Section 6-101-08 of the Guam Procurement Regulations.
- [X] 40. JUSTIFICATION OF DELAY: Bidders who are awarded contracts under this Solicitation, guarantee that the goods will be delivered to their destination or required services rendered within the time specified. If the bidder is not able to meet the specified delivery date, he is required to notify the Chief Procurement Officer of such delay. Notification shall be in writing and shall be receive by the Chief Procurement Officer at least twenty-four (24) hours before the specified delivery date. Notification of delay shall include an explanation of the causes and reasons for the delay including statement(s) from supplier or shipping company causing the delay. The Government reserves the right to reject delay justification if, in the opinion of the Chief Procurement Officer, such justification is not adequate.
- [ X ] 41. **PAYMENT TERMS**: NET THIRTY (30) DAYS after receipt of ORIGINAL invoice for goods and/or services rendered.
- [X] 42. **LIQUIDATED DAMAGES**: When the contractor is given notice of delay or nonperformance as specified in Paragraph 1 (Default) of the Termination for Default Clause of this contract and fails to cure in the time specified, the contractor shall be liable for damages for delay in the amount of one-fourth of one percent (1%) of outstanding order per calendar day from date set for cure until either the territory reasonable obtains similar supplies or services if the contractor is terminated for default, or until the contractor provides the supplies or services if the contractor is not terminated for default. To the extent that the contractor's delay or nonperformance is excused under Paragraph (4) (Excuse for Nonperformance or Delayed Performance) of the Termination for Default Clause of this contract, liquidated damages shall not be due the territory. The contractor remains liable for damages caused other than by delay (GPR Section 6-101-09.1).
- [ X ] 43. PHYSICAL LIABILITY: If it becomes necessary for the Vendor, either as principal, agent or employee, to enter upon the premises or property of the Government of Guam in order to construct, erect, inspect, make delivery or remove property hereunder, the Vendor hereby covenants and agrees to take, use, provide and make all proper, necessary and sufficient precautions, safeguards and protections against the occurrence of any accidents, injuries or damages to any person or property during the progress of the work herein covered, and to be responsible for, and to indemnify and save harmless the Government of Guam from the payment of all sums of money by reason of all or any such accidents, injuries or damages that may occur upon or about such work, and fines, penalties and loss incurred for or by reasons of the violations of any territorial ordinance, regulations, or the laws of Guam or the United States, while the work is in progress. Contractor will carry insurance to indemnify the Government of Guam against any claim for loss, damage or injury to property or persons arising out of the performance of the Contractor or his employees and agents of the services covered by the contract and the use, misuse or failure of any equipment used by the contractor or his employees or agents, and shall provide certificates of such insurance to the Government of Guam when required.
- [X] 44. **FIXED PRICE:** Pursuant to 2 GAR, Div. 4 §3119 (d) (1) Fixed-Price Contract. A fixed –price contract places responsibility on the contractor for the delivery of the product or the complete performance of the services or construction in accordance with the contracted terms at a price that may be firm or may be subject to contractually specified adjustments. The fixed-price contract is appropriate for use when the extent and type of work necessary to meet territorial requirements can be reasonably specified and the cost can be reasonably estimated, as is generally the case for construction or standard commercial products.
- [ X ] 45. **CONTACT FOR CONTRACT ADMINISTRATION**: If your firm receives a contract as a result of this Solicitation, please designate a person whom we may contact for prompt administration.

Name:	Title:
Address:	Telephone:
	_

#### **GOVERNMENT OF GUAM**

# **SEALED BID SOLICITATION INSTRUCTIONS**

1. **BID FORMS:** Each bidder shall be provided with two (2) sets of Solicitation forms. Additional copies may be provided upon request. Bidders requesting additional copies of said forms will be charged per page in accordance with Section 6114 of the Government Code of Guam. All payments for this purpose shall be by cash, certified check or money order and shall be made payable to the Guam Power Authority.

#### 2. PREPARATIONS OF BIDS:

- a) Bidders are required to examine the drawings, specifications, schedule, and all instructions. Failure to do so will be at bidder's risk.
- b) Each bidder shall furnish the information required by the Solicitation. The bidder shall sign the solicitation and print or type his name on the Schedule. Erasures or other changes must be initialed by the person signing the bid. Bids signed by an agent are to be accompanied by evidence of this authority unless such evidence has been previously furnished to the issuing office.
- c) Unit price for each unit offered shall be shown and such price shall include packing unless otherwise specified. A total shall be entered in the amount column of the Schedule for each item offered. In case
  - of discrepancies between a unit price and extended price, the unit price will be presumed to be correct.
- d) Bids for supplies or services other than those specified will not be considered.

  Time, if stated as a number of days, means calendar days and will include Saturdays, Sundays, and holidays beginning the day after the issuance of a Notice to Proceed. Time stated ending on a Saturday, Sunday or Government of Guam legal holiday will end at the close of the next business day.
- 3. EXPLANATION TO BIDDERS: Any explanation desired by a bidder regarding the meaning or interpretation of the Solicitation, drawings, specifications, etc., must be submitted in writing and with sufficient time allowed for a written reply to reach all bidders before the submission of their bids. Oral explanations or instructions given before the award of the contract will not be binding. Any information given to a prospective bidder concerning a Solicitation will be furnished to all prospective bidders in writing as an amendment to the Solicitation if such information would be prejudicial to uninformed bidders.
- 4. ACKNOWLEDGEMENT OF AMENDMENTS TO SOLICITATIONS: Receipt of an amendment to a Solicitation by a bidder must be acknowledged by signing an acknowledgement of receipt of the amendment.
  - Such acknowledgement must be received prior to the hour and date specified for receipt of bids.

# 5. SUBMISSION OF BIDS:

- a) Bids and modifications thereof shall be enclosed in sealed envelopes and addressed to the office specified in the Solicitation. The bidder shall show the hour and date specified in the Solicitation for receipt, the Solicitation number, and the name and address of the bidder on the face of the envelope.
- b) Telegraphic bids will not be considered unless authorized by the Solicitation. However, bids may be modified or withdrawn by written or telegraphic notice, provided such notice is received prior to the hour and date specified for receipt (see paragraph 6 of these instructions).
- c) Samples of items, when required, must be submitted within the time specified, unless otherwise specified by the Government, at no expense to the Government. If not destroyed by testing, samples will be returned at bidder's request and expense, unless otherwise specified by the Solicitation.
- d) Samples or descriptive literature should not be submitted unless it is required on this solicitation. Regardless of any attempt by a bidder to condition the bid, unsolicited samples or descriptive literature will not be examined or tested at the bidder's risk, and will not be deemed to vary any of the provisions of this Solicitation.
- 6. **FAILURE TO SUBMIT BID:** If no bid is to be submitted, do not return the solicitation unless otherwise specified. A letter or postcard shall be sent to the issuing office advising whether future Solicitations for the type of supplies or services covered by this Solicitation are desired.

# 7. LATE BID, LATE WITHDRAWALS, AND LATE MODIFICATIONS:

- a) Definition: Any bid received after the time and date set for receipt of bids is late. Any withdrawal or modification of a bid received after the time and date set for opening of bids at the place designated for opening is late (Guam Procurement Regulations Section 3-202)
- b) Treatment: No late bid, late modification, or late withdrawal will be considered unless received before contract award, and the bid, modification, or withdrawal would have been timely but for the action or inaction of territorial personnel directly serving the procurement activity.

# 8. **DISCOUNTS:**

- a) Notwithstanding the fact that prompt payment discounts may be offered, such offer will not be considered in evaluating bids for award unless otherwise specified in the Solicitation. However, offered discounts will be taken if payment is made within the discount period, even though not considered in the evaluation of bids.
- b) In connection with any discount offered, time will be computed from date of delivery and acceptance of the supplies to the destination as indicated in the purchase order or contract.
   Payment is deemed to be made for the purpose of earning the discount on the date of mailing of the Government check.

- 9. **GOVERNMENT FURNISHED PROPERTY:** No material, labor or facilities will be furnished by the Government unless otherwise provided for in the Solicitation.
- 10. **SELLERS' INVOICES:** Invoices shall be prepared and submitted in quadruplicate (one copy shall be marked "original") unless otherwise specified. Invoices shall be "certified true and correct" and shall contain the following information: Contract and order number (if any), item numbers, description of supplies or services, sizes, quantities, unit prices, and extended total. Bill of lading number and weight of shipment will be shown for shipments made on Government bills of lading.
- 11. **RECEIPT, OPENING AND RECORDING OF BIDS:** Bids and modifications shall be publicly opened in the presence of one or more witnesses, at the time, date, and place designated in the Invitation for Bids. The name of each bidder, the bid price, and such other information as is deemed appropriate by the Procurement Officer, shall be read aloud and recorded, or otherwise made available. The names and addresses of required witnesses shall be recorded at the opening. The opened bids shall be available for public inspection except to the extent the bidder designates trade secrets or other proprietary data to be confidential as set forth in accordance with Section 12 below. Material so designated shall accompany the bid and shall be readily separable from the bid in order to facilitate public inspection of the nonconfidential portion of the bid. Prices, makes and models or catalogue numbers of the items offered, deliveries, and terms of payment shall be publicly available at the time of bid opening regardless of any designation to the contrary (Guam Procurement Regulations Section 3-202.12.2).

#### 12. RESTRICTION AGAINST SEX OFFENDERS:

5 GCA Section 5253, enacted by P.L 28-24 and amended by P.L. 28-98:

The service provider warrants that no person in its employment who has been convicted of a sex offense under the provisions of Chapter 25 of Title 9 of the Guam Code Annotated, or of an offense defined in Article 2 of Chapter 28 of Title 9 of the Guam Code Annotated, or who has been convicted of an offense with the same elements as heretofore defined in any other jurisdiction, or who is listed on the Sex Offender Registry shall provide services on behalf of the service provider while on government of Guam property, with the exception of public highways. If any employee of the service provider is providing services on government property and is convicted subsequent to an award of a contract, then the service provider warrants that it will notify the Government of the conviction within twenty-four (24) hours of the conviction, and will remove immediately such convicted person from providing services on government property. If the service provider is found to be in violation of any of the provisions of this paragraph, then the Government will give notice to the service provider to take corrective action. The service provider shall take corrective action within twenty-four (24) hours of notice from the Government, and the service provider shall notify the Government when action has been taken. If the service provider fails to take corrective steps within twenty-four (24) hours of notice from the Government in its sole discretion may suspend temporarily any contract for services until corrective action has been taken.

- §5011. Policy In Favor of Service-Disabled Veteran Owned Businesses. Notwithstanding any provision of law, and *except* for the procurement of professional services, if any entity of the government of Guam or any entity expending governmental funds intends to procure any supply or service, which is offered by a business concern that is at least fifty-one percent (51%) owned by a service-disabled veteran(s), that entity *shall* procure such supply or service from that business concern, if the supply or service is available within the period required by procuring entity and the price for the supply or service *does not* exceed one hundred five percent (105%) of the lowest bidder, and *shall* be in addition to any other procurement benefit the service-disabled veteran owned business may qualify for under Guam Law. §5012. Qualifications of a Service-Disabled Veteran Owned Business. A business concern is qualified under §5011 of this Chapter if:
  - (a.) the business concern is licensed to do business on Guam;
  - (b.) the business concern maintains its headquarters on Guam;
  - (c.) the business concern is at least fifty-one percent (51%) owned by a service-disabled veteran(s) who served in the active U.S. military service, was discharged or released under honorable conditions and whose disability is service-connected as demonstrated by a DD214, and certified by and award letter from the U.S Department of Veterans Affairs;
  - (d.) the DD214 and Disability award letter from the U.S Department of Veterans Affairs are submitted to the procuring entity for every service offered; and
  - (e.) the service-disabled veteran(s) owner of the business concern has filed individual tax returns on Guam for a period of *at least* three (3) consecutive years."

# 14. **WOMEN-OWNED BUSINESSES**: P.L. 36.26. 5 Guam Code Annotated §5013. **§5013.** Policy In Favor of Women-Owned Businesses.

- (a.) Notwithstanding any other provision of law, if any entity of the government of Guam or any entity expending governmental funds intends to procure any supply or service which is offered by a business concern that is at least fifty-one percent (51%) owned by women, that entity *shall* procure such supply or service from that business concern, if the supply or service is available within the period required by procuring entity and the price for the supply or service *does not* exceed one hundred five percent (105%) of the lowest bidder, and *shall* be in addition to any other procurement benefit the women-owned business may qualify for under Guam Law. The procuring entity shall determine the lowest price to the entity in the case of more than one (1) women-owned business, or a women-owned business and a service-disabled veteran owned business, who are competing for the same government contract
- (b.) Qualifications of a Women-Owned Business. A business concern is qualified under Subsection (a) of the Section if:
  - (1) the business concern is licensed to business on Guam;
  - (2) the business concern maintains its headquarters on Guam;

- (3) the business concern is at least fifty-one percent (51%) owned by women, who manage day-to-day operations and make long-term decisions;
- (4) the business concern is certified as a Women-Owned Small Business (WOSB) or an Economically Disadvantaged Women-Owned Small Business (EDWOSB) by the U.S. Small Business Administration; and
- (5) the owner(s) of the business concern has (have) filed individual tax returns on Guam for a period of at least three (3) consecutive years
- 15. **CONFIDENTIAL DATA:** The Procurement Officer shall examine the bids to determine the validity of any requests for nondisclosure of trade secrets and other proprietary date identified in writing. If the parties do not agree as to the disclosure of data, the Procurement Officer shall inform the bidders in writing what portions of the bid will be disclosed and that, unless the bidders protest under Chapter 9 of the Guam Procurement Act (P.L. 16-124), the bids will be so disclosed. The bids shall be opened to public inspection subject to any continuing prohibition on the disclosure of confidential data (Guam Procurement Regulations Section 3-202.12.3).

#### 16. MULTI-STEP SEALED BIDDING:

- a. It is defined as two-phase process consisting of a technical first-phase composed of one or more steps in which bidders submit unpriced technical offers to be evaluated by the territory, and a second-phase in which those bidders whose technical offers are determined to be acceptable during the first-step have their priced bids considered. It is designed to obtain the benefits of competitive sealed bidding by award of a contract to t h lowest responsive, responsible bidder, and at the same time obtained the benefits of the competitive sealed proposals procedure through the solicitation of technical offers and the conduct of discussions to evaluate and determine the acceptability of technical offers.
- b. In addition to the requirements set forth in the General Terms and Conditions and the Special provisions, the following applies:
  - 1). only unpriced technical offers are requested in the first phase;
  - 2). priced bids will be considered only in the second phase and only from bidders whose unpriced technical offers are found acceptable in the first phase;
  - 3). the criteria to be used in the evaluation at those specified in the Special Provisions and the General Terms and Conditions;
  - 4). the territory, to the extent the Procurement Officer finds necessary, may conduct oral or written discussion of the unpriced technical offers;
  - 5). the bidders, may designate those portions of the unpriced technical offers which contain trade secrets or other proprietary data which are to remain confidential; and,
  - 6). the service being procured shall be furnished generally in accordance with bidder's technical offer as found to be finally acceptable and shall meet the requirements of the Invitation for Bids.

## c. RECEIPT AND HANDLING OF UNPRICED TECHNICAL OFFERS.

Unpriced technical offers shall not be opened publicly, but shall be opened in front of two or more procurement officials. Such offers shall not be disclosed to unauthorized persons. Bidders may request nondisclosure of trade secrets and other proprietary data identified in writing.

## d. EVALUATION OF UNPRICED TECHNICAL OFFERS.

The unpriced technical offers submitted by bidders shall be evaluated solely in accordance with the criteria set forth in the Invitation for Bids. The unpriced technical offers shall be categorized as:

- 1). acceptable;
- 2). potentially acceptable, that is, reasonably susceptible of being made acceptable; or
- 3). unacceptable. The Procurement Officer shall record in writing the basis for finding an offer unacceptable and make it part of the procurement file.

The Procurement Officer may initiate Phase Two of the procedure if, in the Procurement Officer's opinion, there are sufficient acceptable unpriced technical offers to assure effective price competition in the second phase without technical discussions. If the Procurement Officer finds such is not the case, the Procurement Officer shall issue an amendment to the Invitation for Bids or engage in technical discussions as set forth in Subsection 3-202.20.5of this Section.

e. Upon the completion of Phase One, the Procurement Officer shall invite each acceptable bidder to submit a price bid. Upon submission of prices, the Procurement Officer shall prepare the final evaluation and reconsideration for the Chief Procurement Officer's approval.